

Linux on System z Web 2.0



Open Source Web 2.0 applications on Red Hat Enterprise Linux 5.2 November 2008

Linux on System z Web 2.0



Open Source Web 2.0 applications on Red Hat Enterprise Linux 5.2 November 2008

Note

Before using this document, be sure to read the information in “Notices” on page 23.

First Edition – November 2008

This edition applies to Red Hat Enterprise Linux 5.2 only.

© Copyright International Business Machines Corporation 2008.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Chapter 1. Introduction	1
Chosen Web 2.0 applications	1
Requirements	1
Assumptions for this white paper.	2
Where to find this document	2
Chapter 2. Wikis	3
Setting up MediaWiki	3
Requirements	3
Installation	3
Configuration	3
References.	4
Setting up MoinMoin	5
Requirements	5
Installation	5
Configuration	5
References.	6
Setting up XWiki	6
Requirements	6
Installation	7
Configuration	7
References.	7
Chapter 3. Blogs	9
Setting up WordPress	9
Requirements	9
Installation	9
Configuration	9
References	10
Setting up Movable Type	11
Requirements	11
Installation	11
Configuration	11
References	12
Chapter 4. Content Management Systems (CMS)	13
Setting up Drupal	13
Requirements	13
Installation	13
Configuration	13
References	14
Setting up Typo 3	15
Requirements	15
Installation	15
Configuration	15
References	16
Setting up OpenCms.	17
Requirements	17
Installation	17
Configuration	17
References	18
Setting up Joomla.	19
Requirements	19

Installation	19
Configuration	19
References	20
Chapter 5. e-Commerce	21
osCommerce	21
Requirements	21
Installation	21
Configuration	21
References	22
Notices	23
Trademarks	24

Chapter 1. Introduction

In recent years, Web 2.0 applications have become more and more attractive to use. Today, the number of available Web 2.0 applications increases day by day, with applications supporting more functionality and providing more flexibility.

The success of a Web 2.0 application is measured by the number of users who are satisfied using that specific application. Open Source Software packages as described in this document, extend the available functionality of Web 2.0 rapidly to exceed the expectations of their users.

Chosen Web 2.0 applications

This document describes the setup of Open Source Web 2.0 applications for the types Wikis, Blogs and Content Management Systems (CMS). The chosen applications fulfill the following requirements:

- Frequent activity in development community
- Visibility in the press and the Internet
- Good documentation for end users
- Support at least basic functionality

Table 1. Open Source Web 2.0 applications described in this document

Application Type	Application name	Version
Wiki	MediaWiki	1.13.2
	MoinMoin	1.7.2
	XWiki	1.6.1
Blogs	WordPress	2.6.3
	Movable Type	4.21
Content Management Systems (CMS)	Drupal	6.6
	Typo 3	4.2.2
	OpenCMS	7.0.5
	Joomla	1.5.7
e-Commerce	osCommerce	2.2rc2a

Requirements

As required by any application, a specific environment must be set up. Also for a Web 2.0 application the setup of some components must be completed before installation and execution of the application.

The basic setup is described in another white paper 'Setting up a Web 2.0 stack on Red Hat Enterprise Linux 5.2' which is available at http://www.ibm.com/developerworks/linux/linux390/web20_rh5.html. For each application described in this document, the 'Requirements' sections shows which components of the Web 2.0 stack are needed.

Assumptions for this white paper

System administrators who read this document should be familiar with, how to setup YUM to include the Red Hat Enterprise Linux 5 Update 2 DVD image and the related supplementary ISO image as repositories.

Where to find this document

You can find the latest version of this document and other Web 2.0 related documentation on the developerWorks® Web site at http://www.ibm.com/developerworks/linux/linux390/web20_rh5.html.

Chapter 2. Wikis

A Wiki is a very easy way to setup a collaborative Web page. Every person who has access to the Web page is invited to contribute to it which means to add or modify the existing information. A simplified markup language is used for the editing purpose by default. Almost every Wiki has plugins available which increase the set of functions such as rich text editors which enable the user to use graphical user interfaces to create the content for the Web page.

Setting up MediaWiki

MediaWiki, <http://mediawiki.org> - the project behind Wikipedia - is a Wiki implemented in PHP. While writing this documentation, the current version is 1.13.2.

Requirements

To run MediaWiki properly, several dependent packages must be installed. These are:

- Apache Web server
- PHP 5.0 (or later)
- MySQL 4.0 (or later) or PostgreSQL 8.1 (or later)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install MediaWiki on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the MediaWiki TAR file

```
# wget -c http://download.wikimedia.org/mediawiki/1.13/mediawiki-1.13.2.tar.gz
```

2. Extract the TAR file

```
# tar xzf mediawiki-1.13.2.tar.gz
```

3. Move the extracted folder into a folder which the Apache Web server can access

```
# mv mediawiki-1.13.2 /var/www/html/mediawiki
```

4. Grant write access on the config folder

```
# chmod a+w /var/www/html/mediawiki/config
```

Configuration

To configure MediaWiki, start a Web browser and open the URL `http://<server-name>/mediawiki/config`. Follow the instructions on the Web page and complete the configuration by clicking the 'Install MediaWiki!' button. Next, follow these steps:

1. Remove write access on the config folder

```
# chmod a-wx /var/www/html/mediawiki/config
```

2. Place the newly created configuration file into the MediaWiki main folder

```
# mv /var/www/html/mediawiki/config/LocalSettings.php /var/www/html/mediawiki
```

Finally, restart the Apache HTTP server and access MediaWiki at `http://<server-name>/mediawiki`.

References

The following URLs provide more detailed information about MediaWiki:

- MediaWiki project Web page, see <http://mediawiki.org>
- Package requirements, see <http://www.mediawiki.org/wiki/Installation>
- Installation instructions, see http://www.mediawiki.org/wiki/Manual:Installation_guide

Setting up MoinMoin

MoinMoin, <http://moinmo.in>, is a Wiki implemented in Python. While writing this documentation, the current version is 1.7.2.

Requirements

To run MoinMoin properly, several dependent packages must be installed. These are:

- Apache Web server
- Python 2.3 (or later) with XML package (PyXML)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install MoinMoin on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the TAR file

```
# wget -c http://static.moinmo.in/files/moin-1.7.2.tar.gz
```

2. Extract the TAR file

```
# tar xzf moin-1.7.2.tar.gz
```

3. Installation of static components of MoinMoin

```
# cd moin-1.7.2
# python setup.py install --prefix='/usr/local' --record=install.log
```

4. Installation of a MoinMoin entity. Download the script 'createinstance.sh' which is available at <http://moinmo.in/HelpOnInstalling/WikiInstanceCreation>

5. Modify the 'createinstance.sh' script

- Set the variable SHARE to 'SHARE=/usr/local/share/moin'
- Set the variable USER to 'USER=apache'
- Set the variable GROUP to 'GROUP=apache'

6. Set the executable flag for the 'createinstance.sh' script

```
# chmod a+x createinstance.sh
```

7. Run the 'createinstance.sh' script to create a Wiki instance at /var/data/moin/moinmoin

```
# ./createinstance.sh /var/data/moin/moinmoin
```

Configuration

To complete the setup, some adjustments to the configuration of the newly created Wiki instance are required:

1. Modify the configuration file '/var/data/moin/moinmoin/wikiconfig.py'

- Set the 'data_dir' variable to 'data_dir=/var/data/moin/moinmoin/data/'
- Set the 'data_underlay_dir' variable to 'data_underlay_dir=/var/data/moin/moinmoin/underlay/'

2. Copy `moin.cgi` from the static MoinMoin installation to the newly created Wiki instance

```
# cp /usr/local/share/moin/server/moin.cgi /var/data/moin/moinmoin
```

3. Modify the `/var/data/moin/moinmoin/moin.cgi` to adapt the location of the MoinMoin Python modules

```
sys.path.insert(0, '/usr/local/lib/python2.4/site-packages/')
```

4. Extend the Apache HTTP server to include the setup of the newly created MoinMoin Wiki instance. Therefore create a file named `'/etc/httpd/conf.d/moinmoin.conf'` with the following content:

```
Alias /moin_static172/ "/usr/local/share/moin/htdocs/"
<Directory "/usr/local/share/moin/htdocs/">
    Order allow,deny
    Allow from all
</Directory>

ScriptAlias /moinmoin "/var/data/moin/moinmoin/moin.cgi"
<Directory "/var/data/moin/moinmoin/">
    AllowOverride None
    Options +ExecCGI -Includes
    Order allow,deny
    Allow from all
</Directory>
```

Finally, restart the Apache HTTP server and access MoinMoin at `http://<server-name>/moinmoin`.

References

The following URLs provide more detailed information about MoinMoin:

- MoinMoin project Web page, see <http://moinmo.in/>
- Package requirements, see <http://moinmo.in/MoinMoinDependencies>
- Installation instructions, see <http://moinmo.in/HelpOnInstalling/BasicInstallation>

Setting up XWiki

XWiki, <http://www.xwiki.org>, is a Wiki implemented in Java™. While writing this documentation, the current version is 1.6.1.

Requirements

To run XWiki properly, several dependent packages must be installed. These are in general:

- Apache Tomcat server
- Java 5
- MySQL (with MySQL Connector/J) or PostgreSQL (with postgresql-jdbc)
- jcip-annotations Java library

The MySQL Connector/J and the jcip-annotations Java library are not in the Red Hat Enterprise Linux 5.2 distribution. These two are required to be added manually to the system. The installation of the MySQL Connector/J is part of the white paper 'Setting up a Web 2.0 stack on Red Hat Enterprise Linux 5.2'. The jcip-annotations Java library installation is described in the 'Installation' section of this chapter.

Installation

To install XWiki on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the XWiki Web archive

```
# wget -c http://download.forge.objectweb.org/xwiki/xwiki-enterprise-web-1.6.1.war
```

2. Extract the Web archive into the webapps folder of the Apache Tomcat server

```
# unzip -qq xwiki-enterprise-web-1.6.1.war -d /usr/share/tomcat5/webapps/xwiki
```

3. Download the jcip-annotations Java library and put it into the WEB-INF/lib directory of the XWiki application

```
# wget -c http://www.jcip.net/jcip-annotations.jar
# mv jcip-annotations.jar /usr/share/tomcat5/webapps/xwiki/WEB-INF/lib
```

Configuration

The configuration of XWiki includes the setup of a database and the modification of the XWiki Hibernate configuration file. This is described in the following steps:

1. XWiki can use various databases to store the data. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates the database 'xwikidb' and grants the privileges to the new user 'xwiki':

```
# mysql -u root -p
mysql> CREATE DATABASE xwikidb;
mysql> GRANT ALL PRIVILEGES ON xwikidb.* TO "xwiki"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. Modify the Hibernate configuration file /usr/share/tomcat5/webapps/xwiki/WEB-INF/hibernate.cfg.xml to enable the MySQL database setup. Uncomment the 'MySQL configuration.' section to enable the following data:

```
<property name="connection.url">
    jdbc:mysql://localhost/xwikidb?useServerPrepStmts=false&sessionVariables=sql_mode=''
</property>
<property name="connection.username">xwiki</property>
<property name="connection.password">xwikipw</property>
<property name="connection.driver_class">com.mysql.jdbc.Driver</property>
<property name="dialect">org.hibernate.dialect.MySQLDialect</property>
<property name="connection.provider_class">com.xpn.xwiki.store.DBCPConnectionProvider</property>
<property name="connection.pool_size">2</property>
<property name="statement_cache.size">2</property>
<mapping resource="xwiki.hbm.xml"/>
<mapping resource="feeds.hbm.xml"/>
```

Verify the values for the properties 'connection.url', 'connection.username' and 'connection.password' to be set accordingly to the previously created database.

Finally, restart the Apache Tomcat server and access XWiki at <http://<server-name>:<port>/xwiki>.

References

The following URLs provide more detailed information about XWiki:

- XWiki project page, see <http://www.xwiki.org>
- Installation instructions, see <http://platform.xwiki.org/xwiki/bin/view/AdminGuide/Installation>

Chapter 3. Blogs

A Blog is a Web page which includes information of one user in a reverse chronographic manner. Therefore it is often compared to a personal diary. The difference is, that the information within a Blog might be shared with other users who are then enabled to comment on Blog entries.

Setting up WordPress

WordPress, <http://wordpress.org>, is a Blog implemented in PHP. While writing this documentation, the current version is 2.6.3.

Requirements

To run WordPress properly, several dependent packages must be installed. These are:

- Apache Web server
- PHP 4.3 (or later)
- MySQL 4.0 (or later)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install WordPress on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the WordPress TAR file

```
# wget -c http://wordpress.org/wordpress-2.6.3.tar.gz
```

2. Extract the TAR file

```
# tar xzf wordpress-2.6.3.tar.gz
```

3. Move the extracted folder into a folder which the Apache Web server can access

```
# mv wordpress /var/www/html
```

Configuration

The configuration of WordPress includes the setup of a database and the modification of the WordPress configuration file. This is described in the following steps:

1. WordPress uses a MySQL database to store the data. Therefore a database with specific user privileges must be setup. In the example, the 'root' user is the MySQL admin who creates the database 'wordpressdb' and grants the privileges to the new user 'wordpress'. Here, the MySQL command prompt is used to setup the database:

```
# mysql -u root -p
mysql> CREATE DATABASE wordpressdb;
mysql> GRANT ALL PRIVILEGES ON wordpressdb.* TO "wordpress"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. Copy the sample configuration file `/var/www/html/wordpress/wp-config-sample.php` to the configuration file which gets recognized by WordPress

```
# cp /var/www/html/wordpress/wp-config-sample.php /var/www/html/wordpress/wp-config.php
```

3. Adopt the settings for the MySQL database into the configuration file `/var/www/html/wordpress/wp-config.php`. Therefore set the following attributes:

```
define('DB_NAME', 'wordpressdb');  
define('DB_USER', 'wordpress');  
define('DB_PASSWORD', '<password>');  
define('DB_HOST', 'localhost');
```

Finally, restart the Apache HTTP server and access WordPress at `http://<server-name>/wordpress`.

References

The following URLs provide more detailed information about WordPress:

- WordPress project page, see <http://wordpress.org>
- Package requirements, see <http://wordpress.org/about/requirements/>
- Installation instructions, see http://codex.wordpress.org/Installing_WordPress

Setting up Movable Type

Movable Type, <http://www.movabletype.org>, is a blogging software implemented in Perl and PHP. While writing this document, the current version is 4.21.

Requirements

To run Movable Type properly several dependent packages are required to be installed. These are:

- Apache Web server
- PHP 5
- Perl 5.8.1 (or later)
- MySQL 4.0 (or later) or PostgreSQL 8.0 (or later)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install Movable Type on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the Movable Type TAR file

```
# wget -c http://www.movabletype.org/downloads/stable/MTOS-4.21-en.tar.gz
```

2. Extract the TAR file

```
# tar xzf MTOS-4.21-en.tar.gz
```

3. Move the static components of Movable Type to the Web server

```
# cd MTOS-4.21-en  
# mv mt-static /var/www/html/
```

4. Move the CGI content to the cgi-bin folder of the Web server

```
# cd ..  
# mv MTOS-4.21-en /var/www/cgi-bin/mt
```

5. Grant access and executable rights

```
# chmod a+x /var/www/cgi-bin/mt/*.cgi  
# chmod a+w /var/www/cgi-bin/mt  
# chmod a+w /var/www/html/mt-static/support
```

Configuration

The configuration of Movable Type includes the setup of a database and the execution of the installation wizard. This is described in the following steps:

1. Movable Type can use a MySQL or PostgreSQL database to store the data. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates the database 'movabledb' and grants the privileges to the new user 'movable'. Here, the MySQL command prompt is used to setup the database:

```
# mysql -u root -p
mysql> CREATE DATABASE movabledb;
mysql> GRANT ALL PRIVILEGES ON movabledb.* TO "movable"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. Create a folder for the initial Movable Type instance

```
# mkdir /var/www/html/<blog-name>
# chown apache:apache /var/www/html/<blog-name>
# chmod u+w /var/www/html/<blog-name>
```

3. To start the Movable Type installation wizard, open a Web browser and access the wizard at the following URL <http://<server-name>/cgi-bin/mt/mt.cgi>. The upcoming wizard guides the user to complete the setup.
4. After the wizard completed, adjust the access rights to the installation

```
# chmod a-w /var/www/cgi-bin/mt
```

Finally, restart the Apache HTTP server and access Movable Type at <http://<server-name>/cgi-bin/mt/mt.cgi>.

References

The following URLs provide more detailed information about Movable Type:

- Movable Type project page, see <http://www.movabletype.org/>
- Package requirements, see <http://www.movabletype.org/documentation/system-requirements.html>
- Installation instructions, see <http://www.movabletype.org/documentation/installation/>

Chapter 4. Content Management Systems (CMS)

A Content Management System (CMS) is used to organize content of different types such as documents, multimedia files, Web pages or other electronic data. The key functionality of a CMS is to store and control the data in a structured way as well as to keep the history available.

Setting up Drupal

Drupal, <http://drupal.org>, is a content management system (CMS) implemented in PHP. While writing this documentation, the current version is 6.6.

Requirements

To run Drupal properly, several dependent packages must be installed. These are:

- Apache Web server
- PHP 5.2 (or later) with mbstring extension (php-mbstring)
- MySQL 4.1 (or later) or PostgreSQL 7.4 (or later)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install Drupal on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the Drupal TAR file

```
# wget -c http://ftp.drupal.org/files/projects/drupal-6.6.tar.gz
```

2. Extract the TAR file

```
# tar xzf drupal-6.6.tar.gz
```

3. Move the extracted folder into a folder which the Apache Web server can access

```
# mv drupal-6.6 /var/www/html/drupal
```

4. Copy the default configuration file to the configuration file used by Drupal

```
# cp /var/www/html/drupal/sites/default/default.settings.php /var/www/html/drupal/sites/default/settings.php
```

5. Grant write access to the Drupal configuration file

```
# chmod a+w /var/www/html/drupal/sites/default/settings.php
```

6. Create a data directory and grant user permissions

```
# mkdir /var/www/html/drupal/sites/default/files  
# chown apache:apache /var/www/html/drupal/sites/default/files
```

Configuration

The configuration of Drupal includes the setup of a database and the execution of the installation wizard. This is described in the following steps:

1. Drupal can use a MySQL or PostgreSQL database to store the information. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates the database 'drupaldb' and grants the privileges to the new user 'drupal'. Here, the MySQL command prompt is used to setup the database:

```
# mysql -u root -p
mysql> CREATE DATABASE drupaldb;
mysql> GRANT ALL PRIVILEGES ON drupaldb.* TO "drupal"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. To start the Drupal installation wizard, open a Web browser and access the wizard at the following the URL <http://<server-name>/drupal>. The upcoming wizard guides the user to complete the setup.
3. After the wizard completed, change the access rights of the Drupal configuration file

```
# chmod a-w /var/www/html/drupal/sites/default/settings.php
```

Finally, restart the Apache HTTP server and access Drupal at <http://<server-name>/drupal>.

References

The following URLs provide more detailed information about Drupal:

- Drupal project page, see <http://drupal.org/>
- Package requirements, see <http://drupal.org/requirements>
- Installation instructions, see <http://drupal.org/getting-started/6/install>

Setting up Typo 3

Typo 3, <http://typo3.org>, is a Content Management System which is implemented in PHP. While writing this documentation, the current version is 4.2.2.

Requirements

To run Typo 3 properly, several dependent packages must be installed. These are:

- Apache Web server
- PHP 5.2 (or later)
- MySQL or PostgreSQL

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install Typo 3 on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the Typo 3 archive

```
# wget http://garr.dl.sourceforge.net/sourceforge/typo3/typo3_src+dummy-4.2.2.zip
```

2. Extract the archive

```
# unzip -qq typo3_src+dummy-4.2.2.zip
```

3. Move the extracted folder into a folder which the Apache Web server can access

```
# mv typo3_src+dummy-4.2.2 /var/www/html/typo3
```

4. Grant write access to a configuration file and some folders

```
# chmod u+w /var/www/html/typo3/typo3conf/localconf.php
# chmod u+w /var/www/html/typo3/typo3/templates
# chmod u+w /var/www/html/typo3/typo3temp
```

5. Create a configuration file to initiate the Typo 3 installation tool

```
# touch /var/www/html/typo3/typo3conf/ENABLE_INSTALL_TOOL
```

6. Change the owner of the Typo 3 folder

```
# chown -R apache:apache /var/www/html/typo3
```

7. Verify the variable `memory_limit` in `/etc/php.ini` to be set to a value of at least 40M

```
# cat /etc/php.ini |grep memory_limit
memory_limit = 40M ; Maximum amount of memory a script may consume
```

Configuration

The configuration of Typo 3 includes the setup of a database and the execution of an installation wizard. This is described in the following steps:

1. Typo 3 can use a MySQL or PostgreSQL database to store the data. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates

the database 'typo3db' and grants the privileges to the new user 'typo3'. Here, the MySQL command prompt is used to setup the database:

```
# mysql -u root -p
mysql> CREATE DATABASE typo3db;
mysql> GRANT ALL PRIVILEGES ON typo3db.* TO "typo3"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. To start the Typo 3 installation wizard, open a Web browser and access the wizard at the following URL <http://<server-name>/typo3>. The upcoming wizard guides the user to complete the setup.

Finally, restart the Apache HTTP server and access the Typo 3 backend at <http://<server-name>/typo3/typo3/backend.php>.

References

The following URLs provide more detailed information about Typo 3

- Typo 3 project Web page, see <http://typo3.org>
- Package requirements, see <http://typo3.org/about/system-requirements/>
- Installation instructions, see http://typo3.org/documentation/document-library/tutorials/doc_tut_quickstart/0.1.0/view/1/2/

Setting up OpenCms

OpenCms, <http://www.opencms.org>, is a Content Management System (CMS) which is implemented in Java. While writing this documentation, the current version is 7.0.5.

Requirements

To run OpenCMS properly, several dependent packages are required to be installed. These are:

- Apache Tomcat server 5 (or later)
- Java 5
- MySQL 5

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install OpenCms on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the OpenCms archive

```
# wget -c http://www.opencms.org/downloads/opencms/opencms_7.0.5.zip
```

2. Extract the Web archive from the archive

```
# unzip -qq opencms_7.0.5.zip opencms.war
```

3. Move the Web archive to the webapps folder of the Apache Tomcat server for deployment

```
# mv opencms.war /usr/share/tomcat5/webapps/
```

4. Deploy the Web application by restarting the Apache Tomcat server

```
# service tomcat5 restart
```

Configuration

The configuration of OpenCms includes the setup of a database and the execution of an installation wizard. This is described in the following steps:

1. OpenCMS can use various databases to store the information. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates the database 'opencmsdb' and grants the privileges to the new user 'opencms':

```
# mysql -u root -p
mysql> CREATE DATABASE opencmsdb;
mysql> GRANT ALL PRIVILEGES ON opencmsdb.* TO "opencms"@localhost IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. To start the OpenCms installation wizard, open a Web browser and access the wizard at the following URL <http://<server-name>:<port>/opencms/setup>. The upcoming wizard guides the user to complete the setup.

Note: Processing the wizard requests to drop the previously created opencmsdb to be able to create a new database.

Finally, the OpenCms application is available at the URL `http://<server-name>:<port>/opencms/opencms/index.jsp`

References

The following URLs provide more detailed information about OpenCms:

- OpenCms project page, see <http://www.opencms.org>
- Installation instructions, see <http://www.opencms.org/en/development/installation/>

Setting up Joomla

Joomla, <http://www.joomla.org>, is a Content Management System (CMS) which is implemented in PHP. While writing this documentation, the current version is 1.5.7.

Requirements

To run Joomla properly, several dependent packages are required to be installed. These are:

- Apache Web server
- PHP 5.0 (or later)
- MySQL 4.0 (or later)

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install Joomla on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the Joomla archive

```
# wget -c http://joomla.org/gf/download/frsrelease/8376/30993/Joomla_1.5.7-Stable-Full_Package.zip
```

2. Create a folder which the Apache Web server can access

```
# mkdir /var/www/html/joomla
```

3. Extract the archive into the folder /var/www/html/joomla

```
# unzip -qq Joomla_1.5.7-Stable-Full_Package.zip -d /var/www/html/joomla
```

4. Grant write access on the folder /var/www/html/joomla

```
# chmod a+w /var/www/html/joomla/
```

Configuration

The configuration of Joomla includes the setup of a database and the execution on an installation wizard. This is described in the following steps

1. Joomla can use various databases to store the information. In this documentation, the setup using a MySQL database with specific user privileges is explained. The example uses the user 'root' as MySQL admin who creates the database 'joomlabd' and grants the privileges to the new user 'joomla':

```
# mysql -u root -p
mysql> CREATE DATABASE joomlabd;
mysql> GRANT ALL PRIVILEGES ON joomlabd.* TO "joomla"@localhost IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. To start the Joomla installation wizard, open a Web browser and access the wizard at the following URL <http://<server-name>/joomla>. The upcoming wizard guides the user to complete the setup.
3. Remove the folder /var/www/html/joomla/installation

```
# rm -rf /var/www/html/joomla/installation
```

Finally, the Joomla application is available at the URL <http://<server-name>/joomla>

References

The following URLs provide more detailed information about Joomla:

- Joomla project page, see <http://www.joomla.org>
- Installation instructions, see http://downloads.joomlacode.org/docmanfileversion/1/7/4/17471/1.5_Installation_Manual_version_0.5.pdf

Chapter 5. e-Commerce

An e-Commerce application offers the functionality to quickly build up an online store. Managing the product portfolio, providing billing services and publishing the information on the Internet are basic functionality of an e-Commerce application.

osCommerce

osCommerce, <http://www.oscommerce.com>, is an online shop e-commerce solution which is implemented in PHP. While writing this documentation, the current version is 2.2rc2a.

Requirements

To run osCommerce properly, several dependent packages are required to be installed. These are:

- Apache Web server
- PHP
- MySQL

All of these dependent packages are available in the Red Hat Enterprise Linux 5.2 distribution.

Installation

To install osCommerce on Red Hat Enterprise Linux 5.2 follow these steps:

1. Download the osCommerce package

```
# wget -c http://www.oscommerce.com/ext/oscommerce-2.2rc2a.zip
```

2. Extract the archive

```
# unzip -qq oscommerce-2.2rc2a.zip
```

3. Move the catalog folder of the extracted archive into a folder which can be accessed by the Apache HTTP server

```
# cd oscommerce-2.2rc2a  
# mv catalog /var/www/html/
```

4. Grant write access to configuration files

```
# chmod a+w /var/www/html/catalog/includes/configure.php  
# chmod a+w /var/www/html/catalog/admin/includes/configure.php
```

Configuration

The configuration of osCommerce includes the setup of a database and the execution on an installation wizard. This is described in the following steps

1. osCommerce uses a MySQL database to store the data. Therefore a database with specific user privileges must be setup. In the example, the 'root' user is the MySQL admin who creates the database 'oscommercedb' and grants the privileges to the new user 'oscommerce'. Here, the MySQL command prompt is used to setup the database:

```
# mysql -u root -p
mysql> CREATE DATABASE oscommerce;
mysql> GRANT ALL PRIVILEGES ON oscommerce.* TO "oscommerce"@"localhost" IDENTIFIED BY "<password>";
mysql> FLUSH PRIVILEGES;
mysql> quit
```

2. To start the osCommerce installation wizard, open a Web browser and access the wizard at the following URL <http://<server-name>/catalog/install>. The upcoming wizard guides the user to complete the setup.
3. Remove the folder `/var/www/html/catalog/install`

```
# rm -rf /var/www/html/catalog/install
```

4. Remove write access to configuration files

```
# chmod a-w /var/www/html/catalog/includes/configure.php
# chmod a-w /var/www/html/catalog/admin/includes/configure.php
```

Finally, the osCommerce application is available at the URL <http://<server-name>/catalog>

References

The following URL provide more detailed information about osCommerce:

- osCommerce project page, see <http://www.oscommerce.com>

Further documentation is provided within the archive which is available at

- <http://www.oscommerce.com/ext/oscommerce-2.2rc2a.zip>

Notices

This information was developed for products and services offered in the U.S.A.

IBM® may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information about the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing, IBM Corporation, North Castle Drive Armonk, NY
10504-1785 U.S.A.

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

COPYRIGHT LICENSE:

This information contains sample application programs in source language, which illustrates programming techniques on various operating platforms. You may copy, modify, and distribute these sample programs in any form without payment to IBM, for the purposes of developing, using, marketing or distributing application programs conforming to the application programming interface for the operating platform for which the sample programs are written. These examples have not been thoroughly tested under all conditions. IBM, therefore, cannot guarantee or imply reliability, serviceability, or function of these programs. You may copy, modify, and distribute these sample programs in any form without payment to IBM for the purposes of developing, using, marketing, or distributing application programs conforming to IBM's application programming interfaces.

Trademarks

The following terms are trademarks of the International Business Machines Corporation in the United States, other countries, or both:

developerWorks, IBM, System z[®]

The following terms are trademarks of other companies:

Java, JavaScript[™], and all Java-based trademarks are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Microsoft[®], Windows[®], and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX[®] is a registered trademark of The Open Group in the United States and other countries.

Linux[®] is a trademark of Linus Torvalds in the United States, other countries, or both.

Other company, product, and service names may be trademarks or service marks of others.

