

Installing a Single-Host Cluster on Linux

Platform EGO
Version 1.2.3
January 2008



Copyright

© 1994-2007 Platform Computing Corporation

All rights reserved.

Although the information in this document has been carefully reviewed, Platform Computing Corporation ("Platform") does not warrant it to be free of errors or omissions. Platform reserves the right to make corrections, updates, revisions or changes to the information in this document.

UNLESS OTHERWISE EXPRESSLY STATED BY PLATFORM, THE PROGRAM DESCRIBED IN THIS DOCUMENT IS PROVIDED "AS IS" AND WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL PLATFORM COMPUTING BE LIABLE TO ANYONE FOR SPECIAL, COLLATERAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION ANY LOST PROFITS, DATA, OR SAVINGS, ARISING OUT OF THE USE OF OR INABILITY TO USE THIS PROGRAM.

We'd like to hear from you

You can help us make this document better by telling us what you think of the content, organization, and usefulness of the information. If you find an error, or just want to make a suggestion for improving this document, please address your comments to doc@platform.com.

Your comments should pertain only to Platform documentation. For product support, contact support@platform.com.

Document redistribution and translation

This document is protected by copyright and you may not redistribute or translate it into another language, in part or in whole.

Internal redistribution

You may only redistribute this document internally within your organization (for example, on an intranet) provided that you continue to check the Platform Web site for updates and update your version of the documentation. You may not make it available to your organization over the Internet.

Trademarks

®LSF is a registered trademark of Platform Computing Corporation in the United States and in other jurisdictions.

™ACCELERATING INTELLIGENCE, PLATFORM COMPUTING, PLATFORM SYMPHONY, PLATFORM JOBSCHEDULER, PLATFORM ENTERPRISE GRID ORCHESTRATOR, PLATFORM EGO, and the PLATFORM and PLATFORM LSF logos are trademarks of Platform Computing Corporation in the United States and in other jurisdictions.

®UNIX is a registered trademark of The Open Group in the United States and in other jurisdictions.

Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft is either a registered trademark or a trademark of Microsoft Corporation in the United States and/or other countries.

®Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

Intel®, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Other products or services mentioned in this document are identified by the trademarks or service marks of their respective owners.

Third-party license agreements

<http://www.platform.com/Company/third.part.license.htm>

Third-party copyright notices

<http://www.platform.com/Company/Third.Party.Copyright.htm>

Contents

Part I: Using this guide ... 5

- 1 Install a single-host cluster 7
- 2 Migrate to a Multiple-Host Cluster 17

Using this guide

This guide describes installing EGO on a single Linux host for evaluation purposes.

In a single-host cluster, the master host functions as both management and compute host, so you do not need to worry about these concepts. The cluster name is `cluster1`.

Caution:

If you want to install a production cluster, see *Planning and Installing Your Cluster on Linux*. For a cluster of multiple hosts, you must choose management and compute hosts, and plan the entire cluster more carefully before you install.

Single-host cluster

To install quickly for evaluation purposes, set up a single-host cluster by following the steps in [Install a single-host cluster](#).

Migration to a multiple-host cluster

After you have finished testing or demonstrating your single-host cluster, you can convert your host to the master host of a multiple-host cluster by following the steps in the [Appendix](#).

Do not move this multiple-host cluster into production unless your original host is suitable to become master of a large production cluster. The following is the suggested requirements for the master host of a large production cluster:

- For a management host (which includes the master host), we suggest at least a 1- or 2-CPU (>2.0GHz) computer with 4GB RAM, 30GB storage.

Using this guide

Install a single-host cluster

1. Prepare for installation:
 - a) Obtain the necessary files.
 - b) Check ports.
 - c) Check the installation directory.
2. As root, set up the cluster administrator and deploy the software:
 - a) Define the database host.
 - b) Define the cluster administrator.
 - c) Run the RPM package.
 - d) Set the command-line environment.
 - e) Grant root privileges to egoadmin.
3. As egoadmin, configure and test the cluster:
 - a) Set the command-line environment.
 - b) Join the host and the cluster.
 - c) Configure the license.
 - d) Start the host.
 - e) Test the web server.

You can use this host to test or demonstrate some of the functions you would perform in a production cluster.

If you want to convert the host into a functional master host of a production cluster, follow the steps described in [Migrate to a Multiple-Host Cluster](#).

Obtain the necessary files

- Contact Platform Computing to obtain these files:
 - Demo license
 - Installation package

Obtain a demo license

1. For a single-host cluster, obtain a temporary license to be used for evaluation purposes.

Tip:

Copy the licence file to your host. Remember the location so you can configure the license after you install.

Obtain an RPM installation package

1. For a single-host cluster, obtain the RPM package that matches the kernel and glibc version of your host.

For example, for x86 hosts running Linux 2.4 with glibc version 2.3, install the package named `ego-l i nux2. 4- gl i bc2. 3- x86- 1. 2. 3. nnnnnn. rpm`.

Tip:

Run `uname -a` on the host to check the kernel version. Run `rpm -q gl i bc` on the host to check the glibc version.

Check ports

The installation requires the following ports. Make sure these ports are not being used by another application.

- 7869
- 7870
- 7871
- 7872
- 7873
- 8080
- 8005
- 8009
- 9090
- 53
- 1527

Note:

Use `netstat -a | grep <port_number>` and if nothing returns, <port_number> is free.

Check the installation directory

- By default, the installation will create the `/opt/ego` directory and copy files there.
If you cannot install to `/opt`, or in the unlikely event that the `ego` subdirectory is being used for some other purpose, you have a conflict.

Log on as root

Log on as root and take the following steps.

1. Define the database host.
2. Define the cluster administrator.
3. Run the RPM package.
4. Set the command-line environment.
5. Grant root privileges to egoadmin.

Define the database host

The database host will run the Derby database and manage data for the Reporting feature.

Tip:

If you do not define the database host, there is no data available for reports.

To configure the master host as the database host, set the `DERBY_DB_HOST` variable.

Set cluster properties using variables

Set custom variables before installation if you wish to customize the cluster properties.

You can set environment variables according to your login shell. If you do not wish to use environment variables, create a simple text file `/tmp/install.config` and enter each variable on a new line. An environment variable is ignored if the same variable is set in the cluster properties configuration file.

- For sh, ksh, or bash: **export** `VARIABLE_NAME=value`
 - For csh or tcsh: **setenv** `VARIABLE_NAME value`
 - In `install.config`: `VARIABLE_NAME=value`
1. To make hostM the DB host:
 - For sh, ksh, or bash: **export** `DERBY_DB_HOST=hostM`
 - For csh or tcsh: **setenv** `DERBY_DB_HOST hostM`
 - In the cluster properties configuration file: **DERBY_DB_HOST=hostM**

Define the cluster administrator

The cluster administrator will be the only non-root account that can start the cluster or edit configuration files. You can make any account the cluster administrator, but you cannot change it after installation.

Tip:

If you can create a new user account named egoadmin, do so, and skip the rest of this procedure. By default, the installer automatically makes egoadmin the cluster administrator (but it cannot create the account if it does not exist).

To use your own user account as cluster administrator, set the `CLUSTERADMIN` variable, and substitute the actual name of your own account whenever the documentation refers to egoadmin. This is just like setting the `DERBY_DB_HOST` variable.

Run the RPM package

1. Run RPM using the default installation options:

```
rpm -ivh package_name.rpm
```

package_name.rpm is the name of the RPM package.

For example:

```
rpm -ivh ego-linux2.4-glibc2.3-x86-1.2.3-nnnnnn.rpm
```

Set the command-line environment

On Linux hosts, set the environment before you run any EGO commands. You need to do this once for each session you open. Both `root` and `egoadmin` accounts use EGO commands to configure and start the cluster.

You need to reset the environment if the environment changes during your session, for example, if you run `egoconfig mghost`, which changes the location of some configuration files.

These examples assume the default installation directory `/opt/ego`.

- For `csh` or `tcsh`, use `cshrc.ego`:

```
source /opt/ego/kernel/conf/cshrc.ego
```
- For `sh`, `ksh`, or `bash`, use `profile.ego`:

```
. /opt/ego/kernel/conf/profile.ego
```

Grant root privileges to egoadmin

By default, only `root` can start, stop, or restart the cluster.

This step gives `egoadmin` (the cluster administrator) permission to do these things also.

1. Run the `egosetsudoers.sh` command.

When you run `egosetsudoers.sh`, it does the following:

It creates the `/etc/ego.sudoers` file. The file owner is `root` and the permissions are set to `600` because you ran this command as `root`. Only the `root` user can edit this file.

It will setuid the `egosh` command and change the owner of `egosh` to `root`.

Whenever you see instructions to log on as `root` to start, stop, or restart a host in the cluster, you may log on as `egoadmin` instead.

Log on as egoadmin

Log on as `egoadmin` (the cluster administrator account you made during installation) and take the following steps:

1. Set the command-line environment.
2. Join the host and the cluster.
3. Configure the license.
4. Start the host.
5. Test the web server.

Set the command-line environment

Set the command-line environment for `egoadmin`, same as you did for `root`.

- For `csch` or `tcsh`, use `cschrc.ego`:
`source /opt/ego/kernel/conf/cschrc.ego`
- For `sh`, `ksh`, or `bash`, use `profile.ego`:
`. /opt/ego/kernel/conf/profile.ego`

Join the host and the cluster

This step is necessary, even for a single-host cluster.

1. Run `egoconfig` to join the cluster.

For example:

```
egoconfig join HostM
```

Configure the license

1. Run `egoconfig` to configure the license.

Specify the full path to your license file:

```
egoconfig setlicense license_file_path
```

For example:

```
egoconfig setlicense /tmp/platform/license.dat
```

This command copies your license file from the location specified by *license_file_path* to the `$EGO_CONFDIR` directory, names the file `license.dat`, and sets the license file path in `ego.conf`.

Start the host

1. Run `egosh` to start EGO on your host.

```
egosh ego start
```

Test the web server

1. Launch any web browser and visit this URL.

```
http://master_host_name:8080/Platform
```

If you see the Platform Management Console web page, your web server is running.

2. Log on to the Console and check host status (optional):
 - a) User Name: Admin
 - b) Password: Admin
 - c) On the Cluster Health section of the Cluster Health Dashboard, check the host status of the master host is ok.

Tip:

This may take several minutes, depending on your cluster and host configuration.

Resolve port conflicts

- Connection ports
- Web server ports
- SD port
- Database host port
- Web service gateway port

Resolve connection ports

The default base connection port is 7869. EGO uses five consecutive ports starting from this base port (7869-7873).

1. You must set the BASEPORT variable to the base port that you choose.
2. If there is a conflict, choose any free port as base port, and check that the next three ports are also free.

For example, if you choose 7939 as your base port, check that ports 7939-7942 are not in use.

Resolve web server ports

Ports 8080, 8005, and 8009 are used by the web server.

1. If there is a conflict, edit `opt/ego/gui/tomcat/conf/server.xml` and `opt/ego/gui/conf/wsm.conf`.
2. Replace all occurrences of the default port numbers with the actual ports you want to use

Resolve the SD port

1. Ensure that port 53 is free (the default DNS server port).

Database host port

1. Ensure that port 1527 is free (the default Derby database port).

Web service gateway port

Port 9090 is used by the web service gateway.

1. Ensure that port 9090 is free to be used by the web service gateway.
2. If there is a conflict, go to the EGO configuration directory and edit `wsg_port` in `opt/ego/kernel/conf/wsg.conf`.

Resolving installation directory conflicts

If you cannot use the default installation directory, choose any directory on your host as the installation directory. The installer will create the directory if it does not already exist. If it already exists, make sure it is empty.

Read this section, then return to the default procedure (Define the cluster administrator). However, when it is time to run the RPM package, install to a custom directory using these instructions instead of the default instructions.

1. Find your RPM version.
2. Install to a custom installation directory.

Find your RPM version

To find out which version of RPM you are using, use the `rpm --version` option. Different versions of RPM require different options to install the packages.

1. **rpm --version**

`RPM version 4.2.3`

If you have RPM version 4.1.x or earlier: Some versions of RPM do not support the `--prefix` option. If the `--prefix` option is not supported, you need to set the `RPM_INSTALL_PREFIX` variable and specify the installation directory you want. This is just like setting the `DERBY_DB_HOST` variable; use one of the methods described in Define the database host.

Install to a custom installation directory

1. Run RPM and specify the installation directory:

- For RPM version 4.2.x or later:

```
rpm -ivh --prefix install_dir package_name.rpm
```

- *install_dir* is the installation directory
- *package_name*.rpm is the name of the RPM package

For example:

```
rpm -ivh --prefix /opt/test/ ego-linux2.4-glibc2.3-x86-1.2.3-nnnnnn.rpm
```

- For RPM version 4.1.x or earlier, if the `--prefix` option is not supported, set one more environment variable before you run the package:

```
setenv RPM_INSTALL_PREFIX install_dir
```

```
rpm -ivh package_name.rpm
```

- *install_dir* is the installation directory
- *package_name*.rpm is the name of the RPM package

For example:

```
setenv RPM_INSTALL_PREFIX /opt/test
```

```
rpm -ivh ego-linux2.4-glibc2.3-x86-1.2.3-nnnnnn.rpm
```

The installer will create the installation directory if it does not already exist.

Migrate to a Multiple-Host Cluster

Before migrating your host, check the following:

- That you have a functional single-host cluster
- That you have the guide titled *Planning and Installing Your Cluster on Linux*
- That, at a minimum, you read and performed the necessary actions listed in "Chapter 2: Plan Your Cluster" in *Planning and Installing Your Cluster on Linux*. For example,
 - You prepared the additional management hosts and compute hosts to be added to your cluster
 - You set up your file server (Host F) with a shared directory accessible to other hosts in the cluster (/share/ego)

After successfully testing your single-host cluster, you may wish to convert your host into a master host for use in a multiple-host cluster. To do this, you need to reconfigure your host to function in a cluster containing more than one host.

This appendix is intended to be a replacement for "Chapter 3: Install the Master Host" in the *Planning and Installing Your Cluster on Linux* guide, because you do not need to install a new master host if you migrate your host to a master host.

Note that the database installed with a single-host cluster functions with a multiple-host cluster but is not supported in a production environment. To make the Reporting feature work in a production cluster, you will also have to move to a commercial database, as described in *Administering Platform EGO*.

The following steps summarize the migration of your single-host cluster to a master host for use in a multiple-host cluster.

1. Log on to the host as `egoadmi n`.
2. Set the command-line environment.
3. Reconfigure the host.
4. Set the command-line environment.
5. Start the host.
6. Test the host role.

Set the command-line environment

On Linux hosts, set the environment before you run any EGO commands. You need to do this once for each session you open. Both `root` and `egoadmin` accounts use EGO commands to configure and start the cluster.

You need to reset the environment if the environment changes during your session, for example, if you run `egoconfig mghost`, which changes the location of some configuration files.

These examples assume the default installation directory `/opt/ego`.

- For `csch` or `tcsh`, use `cschrc.ego`:
`source /opt/ego/kernel/conf/cschrc.ego`
- For `sh`, `ksh`, or `bash`, use `profile.ego`:
`. /opt/ego/kernel/conf/profile.ego`

Reconfigure the host

Reconfigure your single-host cluster for use as a master host in a multiple-host cluster.

Your host currently stores its configuration files in a local directory. You need to redefine your host to store its configuration files in a shared directory so you can add other management hosts to your cluster. This is necessary to convert your single-host cluster into a multiple-host cluster.

Redefine the host as a management host only

Redefine your host to be a management host only. You need a shared directory to store important files.

Take this step on every management host, including all master candidates.

1. Run the `egoconfig mghost` command:

```
egoconfig mghost shared_dir
```

where *shared_dir* is the shared directory that will contain important files such as configuration files to support master host failover.

For example:

```
egoconfig mghost /share/ego
```

After you run `egoconfig mghost`, the host:

- Has access to important system files on the shared directory
- Belongs to the ManagementHosts host group.

Remember:

The shared directory is the same for all management hosts.

Set the environment to make the new configuration take effect.

Set the command-line environment

Set the command-line environment for the shared directory, same as you did for the default directory.

- For `cs`h or `tc`sh, use `cs`hrc. `ego`:
`source /share/ego/kernel/conf/cshrc.ego`
- For `sh`, `ksh`, or `bash`, use `prof`i l e. `ego`:
`./share/ego/kernel/conf/profile.ego`

Enable automatic startup

This is optional.

Automatic startup

By default, you must start EGO manually if a host restarts.

Tip:

For ease of administration, you should use `egoset rc.sh` to enable automatic startup. This feature starts EGO automatically when the host restarts.

Enabling automatic system startup creates an ego link under: `/etc/rc.d/init.d`

Set automatic startup on your host

1. Run the command `egoset rc.sh`.

Start the host

1. Run egosh to start EGO on your host.

```
egosh ego start
```

Test the host role

1. Make sure the host has been removed from the ComputeHosts group in your cluster:

egosh resource group ComputeHosts

If you cannot see the host name in the Resource List in the ComputeHosts group, the host is successfully configured as a management host only.

Index

C

commands

egosetsudoers.sh 12

E

egosetsudoers.sh command 12

environment

setting 12, 18