

Release Notes

Rhapsody[®]

**IBM[®] Rational[®] Rhapsody[®]
Gateway Add On**

Release Notes



License Agreement

No part of this publication may be reproduced, transmitted, stored in a retrieval system, nor translated into any human or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual or otherwise, without the prior written permission of the copyright owner.

The information in this publication is subject to change without notice, and Dassault Systèmes and its affiliates assume no responsibility for any errors which may appear herein. No warranties, either expressed or implied, are made regarding Rhapsody software and its fitness for any particular purpose.

Trademarks

Reqtify is a registered trademark of Dassault Systèmes or its affiliates in the US and/or other countries.

Rhapsody Gateway, IBM, the IBM logo, DOORS and Rhapsody are trademarks or registered trademarks of IBM Corporation.

All other product or company names mentioned herein may be trademarks or registered trademarks of their respective owners.

© Copyright 2001-2011 Dassault Systèmes. All rights reserved.

Contents

Contents	5
Preface	11
Gateway 1.0 – Build 1357	12
Gateway 1.0 – Build 1396	14
Gateway 1.0 MR2 – Build 618.....	15
Improvements of the DOORS interface	15
Changes in the Main Window	15
Features for collaborative work	15
Display of requirement types and reference types	16
‘Reload all’ action.....	16
‘Messages’ tab	16
Changes in the Configuration windows	16
Project Editor.....	16
Types Editor	17
Filters Editor.....	17
Snapshots Editor	18
Options Editor.....	18
Reports Generation	18
Support of Chinese and Japanese documents	18
Gateway 1.1 – Build 742.....	19
Simulink Interface.....	19
Gateway files can be managed using Rhapsody CM capabilities	19
Option “1 module per package” for DOORS	19
Support of SysML and DoDAF Profiles	19
Improved management of requirements creation	20
Improved Documentation & Examples	20
Gateway 1.1 – Build 743.....	21
Extended Rhapsody Types Definitions	21
Gateway 1.1m1 – Build 319.....	22
Support of DOORS 8.0	22
Support of new Rhapsody requirements definition.....	22
Automatic allocation of Rhapsody type	22
Detection of ‘moved’ elements.....	23
Change concerning of DOORS ‘in-links’	23
Word-SysML example	23
Change in initial project configuration.....	23

Gateway 1.1m1 – Build 335.....	24
Support of DOORS 8.0.5	24
DOORS Export Window.....	24
Requirements creation into Rhapsody	24
Analysis of Rhapsody models	24
Gateway 1.2 – Build 343.....	25
Support of DOORS 8.0.6	25
Lower rights needed for DOORS modules	25
Analysis of Rhapsody models	25
Gateway 1.3 – Build 168.....	26
Support of DOORS 8.1	26
Performances Improvement.....	26
Documentation Improvement	26
Navigation from DOORS to Rhapsody.....	26
Support of the Functional C profile	26
Gateway 1.3 – Build 175.....	27
Support of the AUTOSAR profile	27
Gateway 1.4 – Build 83.....	28
Global Improvements.....	28
Marks extend the scope of requirements change management, comments... ..	28
DOORS Analysis	28
Extended management of references to consider the source document	28
Creation of traceability information within Rhapsody Gateway	29
Reports Generation	29
Improvements of the Requirements Detail view	29
Improvements of the Graphical view.....	30
Creation of a new tagging feature.....	30
Update of the AUTOSAR profile	30
Support of the Testing profile.....	30
RG 1.4 – Build 137w32 - 138x	31
Update of the AUTOSAR profile	31
Support of DOORS 8.2	31
CaliberRM Interface	31
Rhapsody Gateway Limitations (LINUX)	31
RG 1.4m1 – Build 179w32 - 180x	32
Support of DOORS 8.3	32
RG 1.5 – Build 581w32 - 580x	33
Global Improvements.....	33
Undo Redo Capability	33
Folder: Internal Coverage Link.....	33
Multi-User Enhancement	34
Add Reference Attributes in the Graphical View	34
Requirement Hierarchy	35

HTML Document Generation.....	35
Zoom In and Zoom Out.....	35
Picture Handling	36
Add Several Config Directories.....	36
Re-order Attributes	37
Duplicate Filters.....	37
Interfaces Improvement	37
Rhapsody Interface	37
Find high level requirement in Rhapsody	37
Requirement synchronization enhancement	38
Considering Other Profiles	38
XML Type Analysis.....	39
EXCEL Interface	39
Excel Document Generation.....	39
Excel Spreadsheet	40
Word Interface	40
DOORS Interface.....	41
REQUISITE PRO Interface	41
FRAMEMAKER 8 Support	41
Documentation Improvements	42
Customization Guide.....	42
RG Coupling Document.....	42
RG 1.5 – Build 664w32 - 665x	43
DOORS Interface.....	43
Internal Gateway Modification Files	43
RG 1.6 – Build 339w32 - 340x	44
Documentation	44
Rhapsody Interface	44
MODAF Profile	44
DOORS Interface.....	45
RG 1.6 – Build 352w32 - 354x	46
Gateway Kernel	46
Rhapsody Interface	46
DOORS Interface.....	46
RG 1.7 – Build 18w32 - 19x.....	47
Red Hat Enterprise Linux 5	47
Eclipse Integration	47
Rhapsody Interface	47
DOORS Interface.....	47
RG 1.7 – Build 44w32 - 45x.....	48
International Support	48
Kernel.....	48
Documentation	48
Rhapsody Interface	49
DOORS Interface.....	49

RG 7.5 – Build 560w32 - 561x	51
Usability Improvements	51
Find Previous/Next	51
Marks enhancements	52
Filters enhancements	52
Always on Top	53
Ask for Reloading	53
Snapshots comparison enhancements	53
DOORS Interface	54
Rhapsody interface	57
Rhapsody / DOORS Bidirectional Synchronization	58
RG 7.5 – Build 570w32 - 571x	60
DOORS interface	60
Rhapsody interface	60
RG 7.5.1 – Build 610w32 - 609x	61
Gateway Lite Mode	61
Internationalization	61
Gateway fixes	62
Rhapsody interface	62
RG 7.5.1 – Build 627w32 - 628x	63
Rhapsody interface	63
DOORS interface	63
RG 7.5.2 – Build 2788w32 – 2789x	65
Global Improvements	65
Performance Improvements	68
Rhapsody Interface	69
DOORS Interface	69
Rhapsody / DOORS Bidirectional Synchronization	71
RG 7.5.2.1 – Build 2802w32 - 2803x	73
Coverage Analysis	73
DOORS interface	73
XML Tester	73
Rhapsody / DOORS Bidirectional Synchronization	73
RG 7.5.3 – Build 2958w32 – 2959x	74
Performance Improvements	74
Rhapsody Interface	74
Support of DOORS 9.3	75
DOORS Interface	75
Rhapsody / DOORS Bidirectional Synchronization	76
RG 7.5.3.1 – Build 2964w32 – 2965x	77
DOORS Interface	77
RG 7.6 – Build 1522w32 – 1523x	79

Contents

Rhapsody interface	79
DOORS Interface.....	83
ExcelXML and CsvXML	85
RG 7.6.0.1 – Build 1529w32 – 1530x.....	87
Rhapsody interface	87
DOORS interface.....	87
RG 7.6.1 – Build 1869w32 – 1870x.....	89
Support of DOORS 9.3.0.4	89
Support of RequisitePro 7.1.3.....	89
Rhapsody interface	89
DOORS interface.....	91

Preface

RG is a full requirements traceability solution, integrated in the Rhapsody environment.

The project to be analyzed must be configured in RG, specifying the nature of files to be processed (Word, FrameMaker, UML analysis tools, Design tools, etc.), their location, links between them and requirements traceability information to be searched for in each of these files.

RG analyzes the documents and produces an image of requirements traceability information in relation to the project as a whole. It is then possible to set reference versions that can be transmitted if necessary to a configuration management tool, and generate analysis documentation in customized formats.

RG provides the following features:

- ◆ a configuration editor for definition of the project graph,
- ◆ converters for importing different kinds of files to be analyzed (DOORS Modules, Word, Excel, FrameMaker files, UML tool files, etc.),
- ◆ an analysis interface in coverage mode, impact analysis mode and Graphic view mode,
- ◆ a filter editor for processing analysis results,
- ◆ a version editor to detect and save requirements changes.

In addition, RG provides for advanced users:

- ◆ a type editor for defining project traceability elements,
- ◆ a template editor for generated documents.

Gateway 1.0 – Build 1357

Initial Release of RG.

Supports Rhapsody 5.2 and Rhapsody 6.0.

Provided Interfaces:

Code:

- ◆ *Code*: Parsing of .c and .h files
- ◆ *C Code*: Semantic analysis of C code, with presentation of functions

Office:

- ◆ *Excel*: Analysis of Excel files (Excel 2000, XP, 2003)
- ◆ *Excel with column numbers*: Analysis of Excel files taking into account columns numbering. (Excel 2000, XP, 2003)
- ◆ *FrameMaker*: FrameMaker files
- ◆ *FrameBook*: FrameMaker books
- ◆ *Interleaf*: Analysis of Interleaf documents
- ◆ *Acrobat PDF*: Analysis of PDF files
- ◆ *PowerPoint*: Analysis of Powerpoint slide shows, (Powerpoint 2000, XP, 2003)
- ◆ *Text*: Analysis of ASCII files
- ◆ *Word*: Analysis of Word files (Word 2000, XP, 2003)
- ◆ *WordXML*: Analysis of XML files (Word2003)

Requirement Tools:

- ◆ *Doors*: Analysis of Doors modules -see the *Coupling Doors.pdf* note (Doors 6.0, 7.0, 7.1)
- ◆ *Doors-Advanced*: Advanced analysis of Doors modules - see the *CouplingDoors.pdf* note (Doors 6.0, 7.0, 7.1)
- ◆ *RequisitePro*: Interface with RequisitePro - see the *Coupling ReqPro.pdf* note (RequisitePro 2003)

UML:

- ◆ *Rhapsody*: Interface between the Gateway and Rhapsody

Gateway 1.0 – Build 1396

Release of RG for Rhapsody 6.0 MR1.

Supports Rhapsody 5.2 and Rhapsody 6.0 and 6.0 MR1.

Improved feature:

Access to a document using HTTP has been improved. With the previous build, the user was supposed to manually configure Proxy and Server.

With the Build 1396, this configuration is automated.

Gateway 1.0 MR2 – Build 618

Release of RG for Rhapsody 6.0 MR2.

Improvements of the DOORS interface

The DOORS interface has been improved to support the following features:

- ◆ Successive uploads are now performed without changing the DOORS objectIDs,
- ◆ Rhapsody **Tags** and DOORS **Attributes** are fully managed,
- ◆ Rhapsody **Description** fields are now inserted in DOORS also for diagrams.

Changes in the Main Window

Features for collaborative work

Restricted access to project configuration

User (or project manager) can now define a restricted access for the customization of the project.

The **Options** editor (**Tools > Options**) can be used to define a password.

Access to project configuration is granted only if the Password is correct.

Management of concurrent access

In addition to the restricted access (password) capability, we added the management of concurrent access to the project configuration files (Project, Types, Filters, Options):

The first user can access to the project configuration. Password can be requested for this.

If another user wants to access the configuration window, and if the first user still has this window opened, the second user has the following options:

[*Read-Only*] gives an access to the project configuration windows, but no change is allowed.

[*Notify*] gives an access to the project configuration windows, but no change is allowed. In addition, when the first user closes the configuration window, the other user will receive the notification.

Display of requirement types and reference types

Gateway allows you to define several kinds of requirements, attributes, sections, references,...

Gateway 1.1 now displays this information in the main window.

‘Reload all’ action

A new menu item **Reload all** (shortcut = [Ctrl]+[F5]) forces Gateway to re-analyze all the project elements and to re-build the analysis results.

This action is equivalent to what was performed by pressing [Shift] before selecting the **Reload** menu item in previous releases.

‘Messages’ tab

The ‘Messages’ tab of Gateway 1.0 has been replaced by a log file which can be accessed using the [View log file] button in the Options editor.

Changes in the Configuration windows

Project Editor

Improved HTTP access

Access to a document using HTTP has been improved. With the previous release, the user was supposed to manually configure Proxy and Server.

With Gateway 1.1, this configuration is automated: Gateway re-uses the Microsoft Windows definition of ‘Internet Options’ by the user (**Configuration panel > Internet Options > Connections** tab > LAN parameters...)

Dropdown list for variable values

Some types of analysis applied to a document in the project configuration may need definition of complementary variables.

Some variables are filled dynamically during the selection of the **File or Directory**, or captured automatically from the installed configuration. Other variables have to be defined by the user, i.e.:

- ◆ ‘Language’, for Rhapsody UML (C, C++, Ada...)
- ◆ ‘Diagrams Capture’ for Word, Rhapsody, Simulink,... (Yes / No)
- ◆ ...

Now these **Values** are proposed in a dropdown list.

Types Editor

Improved Analysis of multiple Word files

A new **Multi Word** type is now available.

The **Code** converter already has the capability to browse directories and present you a sub-directories and files hierarchy.

The filters field in the advanced properties of the type has already the capability to analyze several documents (Word or others) but was presenting them as merged in a single large document.

The new **Multi Word** type gives you a very powerful view of several Word documents in a directory with subdirectories. User can select this type and apply it to a *document* in the **Project Editor**, then it has to select the proper directory (field File or Directory).

The analysis presents the directory, with subdirectories if any, then each document in these directories is presented individually.

Access to the Regular Expression Tester

In the Types Editor, the button opening the regular expression tester has been added for **Text** elements:

Drag & Drop between types

Drag & Drop capabilities have been improved to facilitate type customization. User can drag & drop elements from a default or customized type to another. Keeping the [Ctrl] key pressed during this operation duplicates the selected object instead of just moving it.

Filters Editor

A **Comment** tab has been added in the Filters editor. It allows you to fully describe the actions performed by the filter. These comments can of course be included in a generated document.

Snapshots Editor

Increased detection of changes concerning references

Changes in references are now presented in the Snapshots Editor.

Options Editor

Password

A 'Password' field has been added, as already described for project protection.

Access to the log file

The '**Debug**' option and the **Messages** tab of the main window have been replaced by a log file, which can be accessed by clicking [View log file] in the Options editor. The log file `log.txt` is saved in the project directory, the menu item **File > Open Project Directory** can be used in this case.

Reports Generation

The reports that can be generated by Gateway are now organized with a hierarchy.

Default document templates are provided under a menu *Library*.

Document templates specific to a given project are presented in other menus, for example Project Docs in the screenshot below.

Support of Chinese and Japanese documents

Gateway can now analyse and present requirements and traceability information contained in Chinese or Japanese documents.

Gateway 1.1 – Build 742

Release of RG for Rhapsody 6.1.

Simulink Interface

Gateway now includes a Simulink type allowing to analyze Simulink models and to link them with work performed in Rhapsody.

This interface comes with a Simulink example and a coupling note.

IMPORTANT

This interface needs a license “feature”: If you got Gateway before 1.1 release, please contact IBM Support Team to upgrade your license key.

Gateway files can be managed using Rhapsody CM capabilities

Gateway files are now stored under the _rpy subdirectory of the Rhapsody project.

They can be managed as “controlled files” in order to get benefits from Rhapsody configuration management capabilities.

Option “1 module per package” for DOORS

The Doors export window now contains an option which leads Gateway to create 1 Doors module for each Rhapsody package during the export.

Support of SysML and DoDAF Profiles

Gateway supports Rhapsody 6.1 extended capabilities for SysML, DoDAF and other profiles. 2 dedicated types of analysis are now available: Rhapsody SysML and Rhapsody DoDAF.

Improved management of requirements creation

Management of requirements created in Rhapsody by Gateway has been improved:

- ◆ To allow selection of the specifications document containing requirements to create,
- ◆ To define the location of the created requirements package.

Improved Documentation & Examples

User Manual has been split in 2 documents:

A *User Manual* containing the information for operational use of Gateway on projects: project definition, notions and concepts, ratio calculations,... This document is organized as a reference manual.

A *Customization Guide*, for advanced users and/or internal support teams, explaining how to customize Gateway types in order to provide users with predefined types supporting the Corporate standards for requirements traceability. This document is organized as a step by step tutorial, with direct links to animated demos and targeted examples.

These documents are located in `<install directory>\doc`.

More examples are installed with Gateway:

Examples showing how Gateway analyzes Word documents, Excel, Powerpoint, FrameMaker, Visio, Simulink, Code files,... All these examples are located in `<install directory>\examples`.

Examples supporting the step by step tutorial (*Customization Guide*), and animated demos. All these examples are sub-directories of the `<install directory>\doc` directory.

Coupling Notes are explaining all characteristics of Gateway interfaces with third-party tools and Rhapsody itself. These notes are located in `<install directory>\doc` and named *Coupling <tool>.pdf*.

Gateway 1.1 – Build 743

Release of RG for Rhapsody 6.1.

Extended Rhapsody Types Definitions

Definition of Rhapsody types of analysis in Gateway was omitting some combination of elements in the Rhapsody model. This release solves this issue.

An additional security level has also been integrated, to allow export of high level requirements into Rhapsody even if Gateway displays errors for Rhapsody analysis.

Gateway 1.1m1 – Build 319

Release of RG for Rhapsody 6.1 MR1.

Support of DOORS 8.0

Gateway supports DOORS 8.0.0 (initial release of DOORS 8.0, not patched).

At the date of release, Patch 3 for DOORS 8.0 is not supported.

Gateway still complies with DOORS 7.1 and DOORS 6.

Support of new Rhapsody requirements definition

Rhapsody requirements can be defined using **ID** and **Specification** fields, in addition of the already existing **Name** and **Description**.

Gateway is modified to use these fields as follows:

Requirement **ID** captured by Gateway goes to the Rhapsody **ID** field for requirement,

Requirement **Text** captured by Gateway goes to the Rhapsody **Specification** field for requirement

Display text defined for the captured requirement goes to the Rhapsody **Name** for requirement: if **Display text** in Gateway is the ID (**Display Text** field left empty), both **Name** and **ID** fields in Rhapsody will contain the ID info

For Rhapsody elements (Requirements created from Rhapsody,...), the **Specification** field is now captured instead of the **Description** one.

Automatic allocation of Rhapsody type

From a Rhapsody project, first launch of Gateway will automatically create a Gateway project and will automatically allocate the type of analysis:

- ◆ **RhapsodySysML** for a SysML project
- ◆ **RhapsodyDoDAF** for a DoDAF project
- ◆ **Rhapsody** for other projects

Detection of ‘moved’ elements

Gateway was already showing **Deleted**, **Added** and **Modified** elements between successive analyses.

Gateway now detects and presents **Moved** objects, when objects have been relocated in their browser tree.

Change concerning of DOORS ‘in-links’

Gateway was previously forcing deletion of in-links in order to allow deletion of objects in DOORS during the synchronisation (upload) action.

This feature has been modified: The synchronisation stops, and information window appears, when Gateway tries to delete a DOORS object with in-link. The in-link has to be deleted in DOORS before running a new synchronisation.

Word-SysML example

The example used to demonstrate requirements management between Word requirements and a SysML model is now included in the package (`Samples` subdirectory).

Change in initial project configuration

The initial configuration created automatically from a brand new Rhapsody project was integrating a DOORS ‘document’, introducing confusing DOORS login windows even if DOORS was not installed. This has been changed: now Gateway creates only a project including the Rhapsody model.

Gateway 1.1m1 – Build 335

Release of RG for Rhapsody 6.1 MR2.

Support of DOORS 8.0.5

Gateway supports DOORS 8.0.5.

DOORS 8.0 releases with previous patches are not supported.

Gateway still complies with DOORS 7.1 and DOORS 6.

DOORS Export Window

Selection of what is to be exported into DOORS (what folders to use, what types to export) is now saved and directly available over several sessions.

Requirements creation into Rhapsody

Gateway presents a more intuitive error message when package naming captured from the requirements tool is not accepted by Rhapsody (it was already existing for problems in requirements naming).

Requirements are no more deleted then re-created when their label (name) is changed. If the ID does not change, the requirement previously created in Rhapsody is just updated.

Gateway reports a “modified requirement” even if only a tag value has been changed.

Analysis of Rhapsody models

Improvements for better support of DoDAF and SysML models.

Gateway 1.2 – Build 343

Release of RG for Rhapsody 6.2.

Support of DOORS 8.0.6

Gateway supports DOORS 8.0.6.

DOORS 8.0 releases with previous patches are not supported.

Gateway still complies with DOORS 7.1 and DOORS 6.

Lower rights needed for DOORS modules

The Gateway users no more need to have modification rights on the DOORS module containing requirements. Read access rights are only requested.

Analysis of Rhapsody models

Improvements for better support of DoDAF and SysML models.

Gateway 1.3 – Build 168

Release of RG for Rhapsody 7.0 & 7.0 MR1.

Support of DOORS 8.1

Gateway supports DOORS 8.1.

Gateway still complies with DOORS 8.0.6, DOORS 7.1 and DOORS 6.

Performances Improvement

Rhapsody Gateway now uses a DLL based solution to get information from Rhapsody. Analysis time is dramatically reduced.

Documentation Improvement

The documentation (*User's Manual*, *Customization Guide*) has been entirely reviewed, and a *Getting Started* document is now available.

Navigation from DOORS to Rhapsody

Rhapsody Gateway install a feature in the RG menu in DOORS that allows direct navigation from DOORS to Rhapsody, if the DOORS object is an image of a Rhapsody object created Gateway.

Support of the Functional C profile

A new type “Rhapsody Functional C” has been added to support the FunctionalC profile.

Gateway 1.3 – Build 175

Release of RG for Rhapsody 7.0 MR2 & 7.0 MR3.

Support of the AUTOSAR profile

A new AUTOSAR type has been added to support the Rhapsody AUTOSAR profile.

Gateway 1.4 – Build 83

Release of RG for Rhapsody 7.1.

Global Improvements

Marks extend the scope of requirements change management, comments...

- ◆ You can use Marks to manage requirements changes and impact analysis, or to quickly analyze input documents:
- ◆ Automatic and persistent highlight of modifications
- ◆ Automatic highlight of search results
- ◆ Creating your own marks
- ◆ Using Marks in Filters

DOORS Analysis

- ◆ You can now manage in the project configuration DOORS requirements modules for which you only have “Read” access rights.
- ◆ You can now specify the DOORS Baseline you want to analyze.
- ◆ You can now specify the DOORS Server you want to use, thanks to a new variable.

Extended management of references to consider the source document

- ◆ References capabilities have been extended to handle some ambiguities on requirement IDs: Rhapsody Gateway can now distinguish between references to requirement with the same IDs if user also indicates the name of the document containing the requirement (I.e. *Covers:REQ1(SRS1)* vs *Covers:REQ1(SRS2)*).

Creation of traceability information within Rhapsody Gateway

You can use the new *Types for added element* if you want to provide project users with advanced capabilities of information creation from Rhapsody Gateway.

- ◆ Creation of a Type for Added elements
- ◆ Declaration of requirements you want to modify
- ◆ Include Types for added elements in your project configuration
- ◆ Add information to the project analysis results

Reports Generation

- ◆ Tables can now be adapted dynamically depending on the number of documents you select for reports generation,
- ◆ The EXCEL format is now available for Generation
- ◆ Direct access to the Snapshots information
- ◆ The groups of documents can be renamed in the Reports Editor.

Improvements of the Requirements Detail view

- ◆ Columns can be resized, moved,
- ◆ You can sort the results using the attribute values, the IDs,... by clicking the column headers,
- ◆ You can copy-paste attribute values from this view,
- ◆ The Requirement Details view supports management of attributes added from Rhapsody Gateway through **Types for Added Elements** capabilities.
- ◆ In the Requirement Details view, you can re-sort the requirements in the same way they are captured from the source document, by using the new “Sort by default” menu item.
- ◆ A new “Added text” pane allows you to add some text to the requirement text captured from the document. To activate this feature, your document is supposed to be declared as “modifiable”, that means you need to associate a modification document with a type for added element.
- ◆ You can re-sort the requirements in the same way they are captured from the source document, by using the new “Sort by default” menu item.

Improvements of the Graphical view

- ◆ The Graphical view now displays links (in addition to references)
- ◆ Documents can be easily resized and re-positioned,
- ◆ Document trees can be expanded or collapsed,
- ◆ If you defined **Types for Added Elements**, you can add any kind of reference (coverage links) or links from the Graphical view
- ◆ ...

Creation of a new tagging feature

This feature allows identifying requirements in a Word document where the requirements have no explicit IDs. This new tagging feature also manages iterations.

Update of the AUTOSAR profile

An update of the existing AUTOSAR type has been added to support the Rhapsody new AUTOSAR profile.

Support of the Testing profile

A new Testing type has been added to support the Rhapsody Testing profile.

RG 1.4 – Build 137w32 - 138x

Release of RG for Rhapsody 7.1.1 & MR1 (Windows & Linux).

Update of the AUTOSAR profile

The AUTOSAR type has been updated according to Rhapsody 7.1.1.

Support of DOORS 8.2

Gateway supports DOORS 8.2.

Gateway still complies with DOORS 8.x, DOORS 7.1 and DOORS 6.

CaliberRM Interface

Gateway now includes a CaliberRM type allowing to capture requirements from CaliberRM and to link them with Rhapsody design.

This interface comes with a CaliberRM example and a coupling note.

IMPORTANT

This interface needs a license “feature”: If you got Gateway before 1.4 release, please contact IBM Support Team to upgrade your license key.

Rhapsody Gateway Limitations (LINUX)

Gateway release on Linux does not support:

Capture diagram option for Rhapsody models.

Navigation to Doors option.

We will do our best to add those features in the following MRs.

RG 1.4m1 – Build 179w32 - 180x

Release of RG for Rhapsody 7.1.1 MR2 (Windows & Linux).

Support of DOORS 8.3

Gateway supports DOORS 8.3.

Gateway still complies with DOORS 8.x, DOORS 7.x and DOORS 6.

RG 1.5 – Build 581w32 - 580x

Global Improvements

Undo Redo Capability

It is now possible to undo and redo edition in RG project creation. You can cancel or redo actions on element editions (Attributes, Reference Attributes, Coverage links creation ...).

Those new features are accessible from the Menu: **Edit > Undo/Redo**.


You can also use keyboard shortcut:

Undo: <Ctrl> + <Z>

Redo: <Ctrl> + <Y>

Folder: Internal Coverage Link

Even if it is better to consider a folder as a package of requirement that belong to the same project hierarchy level, for some corner cases it is useful to add coverage links inside a Folder. This feature is directly accessible from the project configuration window.



Multi-User Enhancement

The control access on Rhapsody Gateway project edition is now handled separately on each of the following activity:


- ◆ Project Configuration Edition
- ◆ Types of Analysis Customization
- ◆ Filters Edition
- ◆ Marks creations
- ◆ Added Information such as:
 - Traceability Data
 - Attributes
 - Added Text, Comments...
- ◆ Modification Files Edition

Add Reference Attributes in the Graphical View

It is now possible to add reference attributes in Rhapsody Gateway Graphical View.

You can specify and add reference attributes by following these steps:

1. Select the reference in the graphical view.
2. Right click in the Reference Attributes box.
3. Specify a valuable or Boolean Attribute.
4. Add a reference attribute.




Requirement Hierarchy

It is now possible to create a hierarchy of requirements. To handle such hierarchy you have two different alternatives:

1. Use the End regular expression field in the requirement type customization view.
2. Create requirement element hierarchy in the type of analysis as it shown in the following picture.

You can specify accurate rules for coverage calculation depending on user choice.



See also: \examples\Use Cases\Requirement Hierarchy.

HTML Document Generation

We changed the CSS (Cascaded Style Sheet) associated to default html template. Feel free to create your own one for improving your final HTML report.

Zoom In and Zoom Out

It is now possible to zoom in and out the project configuration view and all the captured diagrams.

You can change the diagrams and project configuration size by following these steps:

1. Put the pointer into the diagram zone.
2. Hold <Ctrl> key.
3. Use the mouse scroll button.

It is still possible to perform this action on the Graphical View for impact analysis.

Picture Handling


RG is now able to handle diagram and images from PNG file format. It means that you are now able to capture PNG, WMF, EMF (Only available for Windows), SVG, and BMP.

Add Several Config Directories


It is now possible to add several config directories in order to add customized data as Types of analysis, Doc templates, Doc reports, Otscript files, ...

You can add those configuration directories by following those steps:

1. Create your own config directory with the same sub-directory hierarchy that in the original Config directory.




2. Edit RG.ini file by adding the new config directory path as specified in the picture below:



3. Re-launch the tool.


Re-order Attributes

It is now possible to reorder the different values in the Attributes Values tab. To reorder the attributes values you can use the Up and Down arrows like depicted just below:



Duplicate Filters

Reuse existing filters as a starting template of a filter edition is now possible. To use this functionality go into the Filter Edition Tag and right click on the filter you want to duplicate as describe in the picture just below:



Interfaces Improvement


Rhapsody Interface

Find high level requirement in Rhapsody

It is now possible from RG to locate directly in the Rhapsody model a previously imported Requirement just by using the “Find high level requirement in Rhapsody” in the Tools Menu Options.

Requirement synchronization enhancement

It is now possible to customize requirements synchronization with the Rhapsody model by enabling options located in the Add high level Requirements/Advanced tab Menu.



See Coupling Rhapsody Manual.


Considering Other Profiles

It is now possible to automatically create Rhapsody Types of analysis according to users profiles.

See Coupling Rhapsody Manual.

XML Type Analysis

Rhapsody Models are now analyzed with an XML based type of analysis.



EXCEL Interface

Excel Document Generation


It is now possible to select the location of the content that is generated by RG in the excel document template. By default the location of the start of the generated data is cell A1.

You can change this location by following these steps:

1. In Excel select **Insert > Name > Define...**
2. Select <START_REPORT> name
3. Set the new Cell Value
4. Select **File > Save**

Excel Spreadsheet

It is now possible to specify several spreadsheets for an Excel document analysis.




Variable	Value
Worksheet	Sheet1,Sheet2

Word Interface

It is now possible to specify several options (variables) on Word document analysis.

You can enable or disable options value in the project configuration view.




Variable	Value
With Character styles	<input checked="" type="checkbox"/>
With images	
With Character styles	
With Bookmarks	
With Annotations	
One Cell Per Line	

- ◆ **With images** option will give you the capability to capture images in Word document.
- ◆ **With Character styles** option will convert lines that are using character styles.
- ◆ **With Bookmarks** option will convert the bookmarks content.
- ◆ **With Annotations** option will convert annotations content.
- ◆ **One Cell Per Line** option gives you the choice to add a carriage return between each column of a table.

DOORS Interface

Support of DOORS 8.1, 8.2 and 8.3.


Performances have been improved between DOORS and Rhapsody Gateway.



REQUISITE PRO Interface

It is now possible to send back elements to RequisitePro by using a dedicated exportation window.

This option is accessible from the **Tools > Export document to RequisitePro** menu:



As a result you will have to add information in the **Export document to reqpro** window:

1. Enter your login and password to access the RequisitePro database.
2. Select the targeted Package or create a new one in your RequisitePro Project.
3. Specify RequisitePro requirement Prefix.
4. Select element categories that has to be exported (Default: All).
5. Click on Export Button

FRAMEMAKER 8 Support

RG is now supporting Framemaker 8.

Documentation Improvements

Customization Guide

A new section has been added for customization of report template.

See *Customization Guide*.

RG Coupling Document

This document has been updated significantly for Rhapsody ~ DOORS Synchronization use cases.

RG 1.5 – Build 664w32 - 665x

Release of RG for Rhapsody 7.2 MR1 (Windows & Linux).

DOORS Interface


Improvements on UNICODE support (Chinese, Japanese, Korean, Russian, ...).

Internal Gateway Modification Files

A new format for added modification files has been introduced in RG 1.5.

Added element modification files from RG 1.4 and earlier need to be upgraded.

If you encounter the issue presented in the following dialog:



Please contact the IBM Support Team to obtain an upgrade procedure.

RG 1.6 – Build 339w32 - 340x

Release of RG for Rhapsody 7.3 (Windows & Linux).

Documentation

Important document updates:

- ◆ Word and DOORS tutorials updated,
- ◆ Manuals and Coupling notes updated,
- ◆ Introduction of the “Best Practices” guide.

Rhapsody Interface

UNICODE support now extended to elements labels and specification field.

Important fixes concerning CKTJ (Chinese, Japanese, Korean,...) support.

Support of Rhapsody projects lists.

Detailed error reporting in Add high level requirements feature.

New options introduced:

- ◆ With stereotypes applied: enables output of all stereotypes in the intermediate file.
- ◆ Stereotype selection for Dependencies in ‘Add High Level Requirements’ advanced tab.

MODAF Profile

New Rhapsody MODAF type introduced to support analysis of models with MODAF profile.

DOORS Interface

Support of DOORS 9.0.

Gateway still complies with DOORS 6.1, DOORS 7.1 and DOORS 8.x.

The Doors type based on Text analysis has limited functionalities and does not include the UNICODE enhancements.

Usage of XML types such as Doors Basic or Doors Advanced types is encouraged.

RG 1.6 – Build 352w32 - 354x

Release of RG for Rhapsody 7.3 MR1 (Windows & Linux).

This maintenance release contains important fixes on the Rhapsody Gateway kernel, Rhapsody and DOORS coupling.

Gateway Kernel

A reload Rhapsody model issue related to GUID support and inverse cover links has been fixed.

Restoration of multiple choices settings for documents was fixed (such as Sources and Types unchecked in Export to DOORS dialog).

The following internal errors were fixed:

- ◆ 10136
- ◆ 10193

Rhapsody Interface

Support of target package with a label different to the name has been added to the Add high level requirements functionality.

DOORS Interface

Error handling in export to DOORS has been improved.

RG 1.7 – Build 18w32 - 19x

Release of RG for Rhapsody 7.4 (Windows & Linux).

Red Hat Enterprise Linux 5


RG 1.7 is now supported on Red Hat Enterprise Linux 5.

Eclipse Integration

RG can now be invoked from the Eclipse Integration of the Rhapsody Modeler.

Rhapsody Interface

A new Rhapsody tab has been added the option editor.



The new 'Label Mode' allows the user to control whether element name or label of Rhapsody element should be imported into Gateway.

DOORS Interface

Support of DOORS 9.1.

Gateway still complies with DOORS 6.1, DOORS 7.1, DOORS 8.x and DOORS 9.0.

Performance of DOORS module import has been improved on links to other modules reading.

RG 1.7 – Build 44w32 - 45x

Release of RG for Rhapsody 7.4 MR1 (Windows & Linux).

International Support

Rhapsody Gateway can now be installed in a directory having Japanese or other eastern characters.

Kernel

Fixed loss of consecutive carriage returns problem. This was causing some requirements to be permanently modified with Add high level requirements to Rhapsody.

XML type editor was fixed to not corrupt the types file when a bad attribute name is entered.


Documentation

Coupling Rhapsody and Coupling DOORS have been updated.

Customization Guide documentation now describes the available variables in Display fields.

Rhapsody Interface

The type Rhapsody TestingProfile Focused is provided as a dedicated solution to only analyze and export tests related information from an UML model.




Add high level requirements to Rhapsody feature received some modifications:

- ◆ Created stereotypes are now applicable to Requirement, Package and Dependency instead of ModelElement,
- ◆ The stereotype of Dependencies created by the Gateway is synchronized according to the Add high level requirements configuration.


DOORS Interface

The links previously Exported to DOORS are no longer duplicated as inverse cover link (IsCoveredBy) when using the Doors Advanced type.



The Export process has been improved to delete old links before removing the old elements in order to avoid errors.

Navigation from DOORS has been improved. A hidden attribute ObjectID was added to the Doors Advanced type in order to enable the inverse navigation.



RG 7.5 – Build 560w32 - 561x


Release of RG for Rhapsody 7.5 (Windows & Linux).

Usability Improvements

Find Previous/Next

It is now possible to jump to forward and backward elements during Find operation. Two dedicated “Next” and “Previous” search buttons are available in the Find Window.

Those new features are accessible from the Menu: **Edit > Find/Find Next/Find Previous**.




You can also use the following keyboard shortcuts:

- ◆ **Find:** <Ctrl> + <F>
- ◆ **Next:** <F3>
- ◆ **Previous:** <Shift> + <F3>

Marks enhancements

It is now possible to jump from one Mark to another in both backward and forward directions. You can use contextual menu as it is describe in the picture just below or by using the following keyboard shortcuts:

- ◆ **Next:** <F2>
- ◆ **Previous:** <Shift> + <F2>




To avoid Rhapsody Gateway users to spend too much time and effort in the painful task of removing one by one hierarchical marks we added a new capability of removing a mark and all their children in one click, thanks to “Remove marks recursively” option.

Filters enhancements


Rhapsody Gateway enhances filtering capabilities by increasing elements number where users can create conditions on. All those new elements are accessible from the Filter editor window by adding specific conditions on elements like:

- ◆ Single Requirement Type
- ◆ Single Reference Type
- ◆ Enumerated attribute values




Always on Top

It is now possible to put Rhapsody Gateway on top of all the other applications on your desktop. As a result it is a question of choice to use Rhapsody Gateway as your project monitoring tool during your everyday work and make it always visible and quickly accessible. Rhapsody Gateway users can enable/disable “*always on top*” option in the option tab accessible from the main project configuration window.



Ask for Reloading

Remember how it was painful to see this popup window appearing asking you if you would like to reanalyze a document as soon as a single element as been modified. Thanks to Rhapsody Gateway it is now possible to block this popup window. As a result a dedicated icon will inform users if a document is up to date or not. This document analysis can be done later on user demand with a simple reload action on the document.



Snapshots comparison enhancements

A snapshot comparison feature is able to give you in one click all the differences between at least two project milestones on requirement modifications (and their attributes) and traceability data. You can now also see the differences on reference attributes and hide hidden attributes from the analysis.

DOORS Interface


Support of DOORS 9.2.

Gateway still complies with DOORS 6.1, DOORS 7.1, DOORS 8.x and DOORS 9.x.


DOORS Type Builder Wizard

A new DOORS Type builder wizard was introduced in the Rhapsody Gateway Project editor.


It can be invoked from the File menu when you want to import a new DOORS document:



It can be also invoked on an existing DOORS document using the pop-up menu in the project graph:




This wizard allows customization of DOORS types (XML ones) based on existing and recommended analysis features applied on attributes from DOORS objects.




Doors Full Hierarchy Type


A new DOORS type of analysis is available:



This new type is suitable when the DOORS module analyzed doesn't allow a clear identification of Sections and Requirements. The whole DOORS Object hierarchy is captured as a Requirement hierarchy in Rhapsody Gateway:



Navigate to exported Element in DOORS




Export to DOORS improvements


The Export to DOORS has now a tabbed interface that separates usual settings from advanced settings.

You can now specify a particular server directly in the Export to DOORS dialog.

The filtering capability of the export was improved so you can now send only specific element types to DOORS:



The highlighted option changes the filtering behavior and shall be used when you want to send only some kind of element types such as above.




The other option 'Do not maintain element location' switches off the reordering of elements inside the exported module. So you will be able to place the exported elements anywhere you want inside the module and keep them synchronized. This feature is only available with documents that support GUIDs such as Rhapsody models.


Rhapsody interface

Add high level requirements

The Add high level requirements dialog has been also changed into tabbed interface.




All specific settings are accessible in the Advanced tab:



Rhapsody / DOORS Bidirectional Synchronization

It is now possible to keep model elements and DOORS high level requirements synchronized on both sides using the Rhapsody / DOORS Synchronization. This is currently limited to one Rhapsody model and several DOORS documents (bidirectional synchronization) or other documents such as Word (unidirectional from source to Rhapsody).

This feature concentrates both Rhapsody and DOORS export settings. Once everything is configured, it runs all operation consecutively with a minimum of user interactions.



Enabling Features

The first time you run this setup mode, you will see the available features for synchronization which are including the usual operations Add high level requirements to Rhapsody and Export to DOORS.

The Rhapsody / DOORS Synchronization now introduces the reverse synchronization operations and allows integration of DiffMerge which is able to take automatically some decisions.

Reverse synchronization	
<input checked="" type="checkbox"/>	Update model from its DOORS mirror
<input checked="" type="checkbox"/>	Update high level requirements from Rhapsody
Behavior	
<input checked="" type="checkbox"/>	Use Rhapsody DiffMerge to merge modifications
<input type="checkbox"/>	Automatically merge trivial differences

RG 7.5 – Build 570w32 - 571x

Release of RG for Rhapsody 7.5.0.1 (Windows & Linux).

This is a FixPack version of Rhapsody Gateway 7.5.

DOORS interface

The export of diagrams modified in Rhapsody to DOORS has been fixed.

Rhapsody interface

Add high level requirements

Preserve Hierarchy: The translation of section names to package names was improved (better support of ADA language package names).

Exception Handling: Now provides a better messaging when target packages are read-only or unloaded.


RG 7.5.1 – Build 610w32 - 609x

Release of RG for Rhapsody 7.5.1 (Windows & Linux).

Gateway Lite Mode

NEW: Rhapsody Helpers are available to invoke directly the Export to DOORS or Requisite Pro.

This feature is not available for Linux.



Internationalization

Japanese translation of the Gateway interface is now available.

Gateway fixes

Text exclusion regular expression behavior.

Coverage statistics with Analysis filter (Management view).

Use of the Text Display field.

Rhapsody interface

TestingProfile

Test Objective is now treated as coverage link. Capture of the Verdict tag.


RG 7.5.1 – Build 627w32 - 628x

Release of RG for Rhapsody 7.5.1 Fix Pack 1 (Windows & Linux).

This maintenance release contains various fixes on the Rhapsody Gateway kernel, Rhapsody and DOORS interfaces.

Rhapsody interface

New option to control the scope of the requirements synchronization using the Add high level requirements feature.



When this option is not checked, the Add high level requirements feature is able to update or add the deleted mark on requirements that were moved outside of the target package. This behavior exists since Gateway for Rhapsody 7.1.1 MR3 and 7.2.

This option may be unchecked when the synchronization must be performed locally. This was the behavior of Gateway versions prior to 7.1.1.

The local synchronization behavior might be useful when synchronizing the documents one by one.

DOORS interface

Important fix on exportation of Rhapsody diagrams to DOORS.

Important fix related to the option “Keep children of filtered elements”.


RG 7.5.2 – Build 2788w32 – 2789x

Release of RG for Rhapsody 7.5.2 (Windows & Linux).

Global Improvements


Management View Revamped

Gateway now includes a brand new Management View where managers can quickly check the current status of the different project phases. Traceability achievements, requirement errors and a global Quality metric give an instant and easy to see project progress and overall quality metrics with project progress and metrics indicators.




Project Configuration – Cover Links

It is now possible to specify cover link name and category in the project configuration view. Users can now choose if project links are traceability links or dependency links resulting in different coverage calculation.




Rules Manager

Project Managers can not specify which rules will be applied or not on each Gateway project thanks to the new rules management cockpit. This cockpit, accessible from the project configuration tab, gives the ability to enable/disable existing rules and to create new rules from scratch with a simple and intuitive rules editor.




Link Details View

As soon as we are talking about traceability, links management is a very important task to deal with. Gateway offers a new link details view where users can create, edit and analyze traceability and dependencies between project artifacts.




Suspect Link Management

Gateway users can now choose if they would like to consider existing traceability data as suspicious Links as soon as changes occurred on covered requirements.



XML Type Tester

Analysis type customization is sometimes a difficult to handle. As a result, Gateway offers a new XML Type of analysis Tester that gives the ability for users to test their XML based type of analysis prior to applying them to any real document in the project. This Tester is working as the existing PERL Regular Expression Tester for Textual Based Type of Analysis.



Performance Improvements

XML Capture

Gateway now includes a new XML capture process that improves the performance of the XML capture step and the stability of the Gateway tool especially when huge XML files are analyzed. This improvement is profitable for both DOORS and Rhapsody documents.

DOORS

The DOORS conversion to XML performance was drastically improved especially when the module contains an important volume of texts and attributes values.

Rhapsody Interface

Rhapsody C# language support

Rhapsody Gateway now provides the Rhapsody C# type for C# language support.

Add high level requirements

The behavior of “Create Dependencies” option was improved. Now it removes the high level links that no longer exist.

Add high level requirements operation provides more debugging information when an exception happens.

DOORS Interface


Connection Profiles

It is now possible to setup different server profiles that will be directly accessible for import and export operations with the DOORS database. The connection profiles enable the multiple DOORS client/server version support in the Gateway without having to modify any environment variable or registry setting.

General	Environment	Project	Connections	Tagger	Rhapsody
Profiles					
<div>DOORS</div> <div>DOORS 8</div> <div>DOORS 9</div>					
Name: DOORS 9					
Server: 36679@xxxxx					
User: jyyyyy					
Password: xxxxxxxx					
DOORS Client: 9.3					


Export to DOORS

The Export to DOORS dialog now provides the ability to show the “Project View”, you can also quickly create a DOORS Folder or Project when you are exporting new Gateway documents to DOORS. Additionally, the Options tab now provides new options to “Remove the heading number” from the export result. The export to DOORS can also create a view that shows the exported attributes.



Note

Export to DOORS is now creating an enumerated attribute in DOORS when the values are specified in the Gateway attribute type. Multiple enumerated values can be exported to DOORS.




Rhapsody / DOORS Bidirectional Synchronization

Improvements

Various fixes of the DOORS Attributes and Rhapsody Tags synchronization.


The synchronization feature now provides a single progression dialog showing the global and individual progression of each operation.



Reverse Synchronization of Links

Rhapsody Gateway is now able to process a reverse synchronization of links defined from the mirror of a UML Model exported in DOORS. UML Links must be defined in a DOORS module defined by the DOORS Export mapping such as Trace, Dependency, Satisfaction, etc...

This operation is performed when the option “Update model from its DOORS mirror” is checked.




This is a reverse operation of Export model to DOORS. The DOORS link module must have the same name as a Reference or Link type defined in the Rhapsody type, only Dependency links are supported.

A “Trace” link must have a Requirement type as target since it is mapped to a Reference type in Gateway. You may use the “Dependency” module instead for link to other UML elements and eventually create another Link type tied to a Rhapsody dependency stereotype.

Create high level requirements from Rhapsody

Rhapsody Gateway is now able to create high level requirements in DOORS when they are created from the Rhapsody Package tied to the DOORS document. Requirements must have the <<fromDoors...>> applied in order to be identified as high level requirements instead of UML Requirements.

This operation is performed when the option “Update high level requirements from Rhapsody” is checked.



This is a reverse operation of add high level requirements. Gateway will use the specification field as the text of the requirement unless the add high level requirement option “Use description field instead of specification” is checked.

RG 7.5.2.1 – Build 2802w32 - 2803x

Release of RG for Rhapsody 7.5.2.1 (Windows & Linux).

This maintenance release contains various fixes on the Rhapsody Gateway kernel, Rhapsody and DOORS interfaces.

Coverage Analysis

Fixed problem with requirements always considered as covered when they are defined in a document with a self-cover link.

DOORS interface

Fixed problem with the save button after the Export to DOORS was aborted. This was causing a reload problem when the button was activated, it was necessary to reload twice.

Fixed conversion problem with the old Doors regular expression based type.

Fixed comparison problem before Export to DOORS that was not detecting some movements.

XML Tester

Fixed import intermediate file problem when there is picture data in the XML file (such as diagrams from DOORS).

Rhapsody / DOORS Bidirectional Synchronization

Fixed creation of requirements from Rhapsody using the synchronization feature “Update high level requirements from Rhapsody”. This was not working with empty DOORS modules.

RG 7.5.3 – Build 2958w32 – 2959x

Release of RG for Rhapsody 7.5.3 (Windows & Linux).

Performance Improvements

Gateway first project loading startup is now faster (about 60% measured on typical machine configuration).

Rhapsody Interface

Rhapsody model importation now keeps the element ordering under categories when the option “Enable Ordering” is activated in Rhapsody.

AUTOSAR 4.0 Profile

Rhapsody Gateway now supports the importation of Rhapsody AUTOSAR 4.0 model elements.

MicroC Profile

Rhapsody Gateway now supports the importation of Rhapsody MicroC model elements.

Support of DOORS 9.3

Gateway supports DOORS 9.3.

Gateway still complies with DOORS 7.1, DOORS 8.x, and DOORS 9.x.

DOORS Interface

Export Improvements



Now the Export to DOORS maintains the order of sibling elements.

The UML requirements name are now updated in the module exported to DOORS.

New term of Package are now exported into individual DOORS modules when the option “One module per Package is checked”.

Conversion of Table objects


Option “With Table objects” converts the DOORS table rows and cells as XML.

	Name	Type of Analysis	File or Directory	Ignor...	Inter...	Bloc...	Variable	Value
	StakeholderReqs	 Doors Basic	/Jose/Elevator Spec	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	With Table objects	<input checked="" type="checkbox"/>

Rhapsody / DOORS Bidirectional Synchronization

Now the Rhapsody / DOORS bidirectional synchronization automatically reloads the DOORS document before the process starts.

Another option named “Reload high level documents after modifications” allows the Gateway to reload automatically the DOORS module modified after the synchronization process so the changes are immediately visible in the Gateway.



Preserve Hierarchy

Now the requirements created from Rhapsody using the synchronization feature “Update high level requirements from Rhapsody” are added to the DOORS section corresponding to the package created with the option “Preserve Hierachy”.

Note: Once the requirement is created in DOORS, the synchronization feature doesn’t try to move to another section when the requirement is moved from one Package to another in the Rhapsody Model.

Reverse Synchronization of Links

Now the synchronization feature is able to synchronize the links between high level requirements from Rhapsody to DOORS with the synchronization feature “Update high level requirements from Rhapsody”.

The option “Create depedencies instead of anchors” must be activated and dependencies must have the stereotype <<fromDoors...>>. Gateway will either create a Reference or Link according to the other stereotypes and the Add high level requirements configuration.

DOORS Links will be created in a link module that has the same name as the DOORS Reference or Link type used.

RG 7.5.3.1 – Build 2964w32 – 2965x

Release of RG for Rhapsody 7.5.3.1 (Windows & Linux).


This maintenance release contains various fixes on the Rhapsody Gateway kernel, Rhapsody and DOORS interfaces.

DOORS Interface

Option to create new elements at the top of the module

In previous releases, the Gateway was still trying to export new elements near to other elements that were already exported in DOORS. Consequently it may be difficult to retrieve the location of the new DOORS objects exported.

Now the user can change this behavior by activating the option “New elements at the top of the module” when the option “Do not maintain elements location” is selected. All new elements are created at the top of the module.




RG 7.6 – Build 1522w32 – 1523x

Release of RG for Rhapsody 7.6 (Windows & Linux).

Rhapsody interface

New Look and Feel


Rhapsody icons and types were updated in the Gateway to support the new Rhapsody browser look and feel.



NOTE: The Rhapsody browser icons were reorganized in the Gateway installation to improve the maintenance and clarity of Rhapsody profiles supported. This must be considered if you are using old Rhapsody types with customizations.

Multiple Profile Support

The Rhapsody type generator was improved to support multiple profiles at the same time. This type generator can be invoked from the menu “Tools > Generate types for this model” when the Rhapsody model is selected in the Gateway.




NOTE: Use can configure an additional user config path in the rg.ini file when the program files config is read-only :

[Files]

Config2=\$USERPROFILE\IBM\Rational\Rhapsody\<Version>\Gateway\config

Transfer text formatting


Gateway is now able to insert text of high level requirements with formatting when the option “Transfert text formating” in the Add high level requirements dialog.



Rich text can be captured from specific document types such as Word when the With Richt Text option is activated:


Details Modification Documents Covers							
Name	Type of Analysis	File or Directory	Ignor...	Inter...	Bloc...	Variable	Value
Specifications	Word	Basic Specs.doc	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	With Rich Text	<input checked="" type="checkbox"/>

User can also configure types to capture table rows and cells (with regular expressions only). Then the tables will be part of the rich text.



Navigate to DOORS


A new Navigate to DOORS menu was added to Rhapsody. It allows to navigate on requirements imported from DOORS (like Navigate to Origin) or elements exported to DOORS.




DOORS Interface

Export Rhapsody Packages as DOORS Folders

The checkbox “One module per package” was replaced with “Package layout” option that provide an additional choice: “One folder and module per package”.



This option will create a hierarchy of DOORS Folder under the Project selected for the export. The content of packages will be exported to modules in their respective folders.



The screenshot shows the DOORS interface with a project hierarchy on the left and a table of exported packages on the right.

Project Hierarchy:


- DOORS Database
 - Escalations
 - New Project
 - Support Gateway
 - Testcase_IBM
 - Testing
 - HomeAlarm (selected)
 - AlarmPkg
 - AnalysisPkg
 - GuiPkg
 - HardwarePkg
 - AlarmHw486Pkg
 - AlarmHw68kPkg
 - SimulatedHwPkg
 - TestPkg
 - UML Model

Table of Exported Packages:

Name	Type	Description
AlarmPkg	Folder	Created by Reqtify
AnalysisPkg	Folder	Created by Reqtify
GuiPkg	Folder	Created by Reqtify
HardwarePkg	Folder	Created by Reqtify
Dependency	Link	
Rhapsody_links	Link	
UML Model	Formal	HomeAlarm.rpy

Export Reference attributes as DOORS Link attributes


The Export to DOORS now provides the ability to export Reference attributes as DOORS Links with the option “Export link attributes”.



Export Links to specific DOORS Link module

The Export to DOORS dialog now provides the ability to configure the target DOORS Link module for all links instead of the Default behavior which is one Link module per link type.

This option is available in the contextual menu of Link types in the Export to DOORS dialog.




DOORS Wizard

The DOORS Wizard is now able to update existing DOORS types and preserve user defined customization of fields like Display or Identifier format.


ExcelXML and CsvXML

Rhapsody Gateway is now supporting an ExcelXML and CsvXML conversion.

The ExcelXML type is easier pattern definition and lower the risk of erroneous extraction than the Excel type.



The CsvXML type provides an import dialog that supports different kind of CSV (Comma Separated Values) format. See example in Gateway/examples/coupling/Excel.



RG 7.6.0.1 – Build 1529w32 – 1530x

Release of RG for Rhapsody 7.6.0.1 (Windows & Linux).

This maintenance release contains various fixes on the Rhapsody Gateway kernel, Rhapsody and DOORS interfaces.

Rhapsody interface

Improved memory scalability of Add high level requirements and other operations to support big Rhapsody models (approximately 300,000 elements).

DOORS interface

Optimized the size of DXL generated during the Export to DOORS operation in order to support bigger models (approximately 70,000 elements exported with some Sources unchecked).

Fixed Export to DOORS memory problems related to big diagrams containing bitmap pictures.

RG 7.6.1 – Build 1869w32 – 1870x

Release of RG for Rhapsody 7.6.1 (Windows & Linux).

Support of DOORS 9.3.0.4

Gateway supports DOORS 9.3.0.4, except the importation of picture that doesn't work with this particular version when the Windows version is below Windows 7.

Consequently, you are not able to capture pictures from the Object Text with this DOORS version on Windows XP. Additionally the export to DOORS will always try to export the diagrams if this option is selected.

Gateway still complies with DOORS 7.1, DOORS 8.x, and DOORS 9.x.

Support of RequisitePro 7.1.3

Gateway is compatible with RequisitePro 7.1.3 and previous versions since 2003.06.


Rhapsody interface

Add high level requirements into a different Package

Previously, requirements outside the target package were either not moved (due to global sync capability outside the package) or marked as deleted when the option "Update only in target package" was selected.


Now users can add high level requirements into any target package then decide to move the requirements later in another package.

A pop-up appears when the selected Package is different from the one previously used.




Add high level requirements with enumerated value on Attributes


Gateway is now able to set enumerated value on requirement tags in Rhapsody. It is necessary to declare the different enumerated values in the attribute type configuration of Gateway.



Then the tag appears with an enumeration type in Rhapsody.



The enumeration is declared in the same package as the <<from>> stereotype.




DOORS interface

Rich text support


User can activate the Rich text support from DOORS by checking the “With Rich Text” variable/value on the DOORS document in the project editor:

Details Modification Files Covers							
Name	Type of Analysis	File or Directory	Ignor...	Inter...	Bloc...	Variable	Value
Document1	Doors Basic1	/Tutorial/Elevator Sp	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	With Rich Text	<input checked="" type="checkbox"/>

This option activates the RTF conversion mode for the DOORS Object Text only, the corresponding rich text will be captured and shown in the Gateway text panel.



Finally you can transfer the rich text of DOORS requirements to Rhapsody using the Add high level requirements feature and the Advanced option “Transfer text formatting” mentioned in RG 7.6 release notes.



Limitations: The rich text format may not be fully supported. Additionally, Gateway will only take modification of raw text into account when Add high level requirements is processed. Differences on space characters are also ignored.